AUTHOR INDEX

1985, Volume 54

ABDULLAH M *see* Ribeiro P *et al*
ABELA G S *see* French *et al*
ABITBOL G *see* Veyrat C *et al*
ABLETT M B *see* Ilsley C D J & Ablett M B
ABRAHAMSEN A M *see* Rønnevik P K *et al*
ADAM W E *see* Wieshammer S *et al*
AGARWAL A K (& Lochan R G, Beard D, Redding V J) Efficacy of flecainide in the control of ventricular response during exercise in established atrial fibrillation in digitalised patients: its comparison with beta blockade 611 *P*
AL FAGIH M *see* Ribeiro P *et al*
AL-RUFAIE H K *see* Quyyumi A A *et al*
AL ZAIBAG M *see* Ribeiro P *et al*
ALBERS C *see* Odemuyiwa O *et al*
Peart I *et al*
ALLAN L D (& Crawford D C, Anderson R H, Tynan M) Spectrum of congenital heart disease detected echocardiographically in prenatal life 523
— (& Crawford D C, Chita S K, Anderson R H, Tynan M J) The familial recurrence of congenital heart disease 613 *P*
— (& Crawford D C, Tynan M J) Pulmonary atresia in prenatal life 640 *P*
ALTMAN D I (& Murray J, Milner S, Dansky R, Levin S E) Asymmetric septal hypertrophy and hypothyroidism in children 533
AMENDE I (& Seegers A, Simon R, Hetzer R, Lichtlen P R) Functional correlates of cardiac rejection from intramyocardial markers 653 *P*
AMEUR A *see* Veyrat C *et al*
AMLIE J P *see* Ihlen H *et al*
ANDERSON R H (& Becker A E) Pathways of preferential arterial conduction: correspondence 226
— *see also* Allan L D *et al*
Hegerty A S *et al*
ANGELINI G D (& Passani S P, Breckenridge I M) Prostacyclin production in saphenous vein from patients receiving aspirin 636 *P*
APPLETON D *see* Peart I *et al*
ARNIM T VON *see* Von Arnim T
ARNOLDA L *see* McGrath B P *et al*
ARTMAN M F *see* Parrish M D *et al*
AUSTIN A *see* Peart I *et al*

BAANDRUP U *see* Ibsen H H W *et al*
BAER F *see* Verheugt F W A *et al*
BAKER E J *see* Reidy J F *et al*
BALARAM U S V (& Karas S, Hallidie-Smith K A) Idiopathic infantile hypercalcaemia (Williams-Beuren syndrome) and associated cardiac anomalies: a clinical and echocardiographic study 652 *P*
BALCON R *see* Greenbaum R A & Balcon R
Murray N *et al*
BALDWIN J C *see* McGregor C G A *et al*
BALL S G *see* Cleland J G F *et al*
BALLANTYNE D *see* Northcote R J *et al*
BANIM S O *see* Dymond D S *et al*
BARBER P V *see* Schofield P M *et al*
BARBER R *see* Taylor N C *et al*
BARBER R W *see* Ormerod O J M *et al*
Stone D L *et al*
BARNABY P F *see* Brown M A *et al*
BATES D *see* Shaw P J *et al*
BEARD D *see* Agarwal A K *et al*
BECKER A E *see* Anderson R H & Becker A E
Stewart P A *et al*
BECKET J *see* Fessatidis I *et al*
BEEN M (& Kean D, Smith M A, Douglas R H B, Best J J K, Muir A L) Nuclear magnetic resonance in hypertrophic cardiomyopathy 48
BELDER M DE *see* de Belder M
BENNETT D H *see* Molajo A O & Bennett D H
Malajo A O *et al*
Schofield P M *et al*
BENTALL H *see* Hackett D *et al*
BENTALL H H *see* Fessatidis I Th *et al*
BERNADET P *see* Douste-Blazy P *et al*
BEST J J K *see* Been M *et al*
BIASUCCI L M *see* Rebuzzi A G *et al*
BING R F *see* Heagerty A M *et al*
BLANCQUAERT A DEVLOO- *see* Devloo-Blancquaert A
BLAZYP DOUSTE- *see* Douste-Blazy P
BOUCEK R J *see* Parrish M D *et al*
BOUISSOU H *see* Douste-Blazy P *et al*
BOWES R J *see* Schofield P M *et al*
BOWKER T J (& Cross F W, Rumsby P T, Gower M C, Poole-Wilson P A, Fox K M, Bown S G, Rickards A F) Is localised intracoronary hyperkalaemia a risk of laser angioplasty? 637 *P*: Which ultraviolet laser wavelengths are selective for atheromatous as opposed to normal arterial wall? 635 *P*
— (& Fox K M, Poole-Wilson P A, Bown S G, Rickards A F) Acute and chronic angiographic effects of in vivo coronary laser angioplasty 634 *P*
BOWN S G *see* Bowker T J *et al*
BOYD E G (& Holt P M, Sowton E) A modified energy delivery system for lower energy ablation 651 *P*
BOYLE D MCC *see* Higginson J D S *et al*
BRAIMBRIDGE M V *see* Saldanha C B R *et al*
BRANDT P W *see* Brown M A *et al*
BRANGENBERG R *see* Weil J *et al*
BRANNAN J J *see* Fessatidis I *et al*
BRECKENRIDGE I M *see* Angelini G D *et al*
BRESNAHAN J F *see* Sugrue D D *et al*
BRITISH CARDIAC SOCIETY Autumn meeting, London, November 1985, proceedings 609
BROCK T H CLUTTON- *see* Clutton-Brock T H
BROOKS N *see* Kay P H *et al*
BROWER R W (& Fioretti P, Simoons M, Haalebos M, Rulf E N R, Hugenholtz P G) Surgical versus non-surgical management of patients soon after acute myocardial infarction 460
BROWN M *see* McEwan J *et al*
BROWN M A (& Norris R M, Barnaby P F, Geary G G, Brandt P W) Effect of early treatment with propranolol on left ventricular function four weeks after myocardial infarction 351
BUCKNELL C A *see* Lewis S *et al*
BUGIARDINI R (& Ferrini D, Galvani M, Gridelli C, Pozzati A, Puddu P, Lenzi S) Effects of vasodilators on exercise capacity and myocardial oxygen supply in patients with angina pectoris and normal coronary arteries 610 *P*
BÜHLMEYER K *see* Weil J *et al*
BUICK B *see* Higginson J D S *et al*
BULL C *see* Sullivan I D *et al*
BUN-TAN L B *see* Ribeiro P *et al*
BUNTON R W (& Shore D F, Keeton B R, Sutherland G R, Monro

AUTHOR INDEX

1985, Volume 54

ABDULLAH M *see* Ribeiro P *et al*
ABELA G S *see* French *et al*
ABITBOL G *see* Veyrat C *et al*
ABLETT M B *see* Ilsley C D J & Ablett M B
ABRAHAMSEN A M *see* Rønnevik P K *et al*
ADAM W E *see* Wieshammer S *et al*
AGARWAL A K (& Lochan R G, Beard D, Redding V J) Efficacy of flecainide in the control of ventricular response during exercise in established atrial fibrillation in digitalised patients: its comparison with beta blockade 611 *P*
AL FAGIH M *see* Ribeiro P *et al*
AL-RUFAIE H K *see* Quyyumi A A *et al*
AL ZAIBAG M *see* Ribeiro P *et al*
ALBERS C *see* Odemuyiwa O *et al*
Peart I *et al*
ALLAN L D (& Crawford D C, Anderson R H, Tynan M) Spectrum of congenital heart disease detected echocardiographically in prenatal life 523
— (& Crawford D C, Chita S K, Anderson R H, Tynan M J) The familial recurrence of congenital heart disease 613 *P*
— (& Crawford D C, Tynan M J) Pulmonary atresia in prenatal life 640 *P*
ALTMAN D I (& Murray J, Milner S, Dansky R, Levin S E) Asymmetric septal hypertrophy and hypothyroidism in children 533
AMENDE I (& Seegers A, Simon R, Hetzer R, Lichtlen P R) Functional correlates of cardiac rejection from intramyocardial markers 653 *P*
AMEUR A *see* Veyrat C *et al*
AMLIE J P *see* Ihlen H *et al*
ANDERSON R H (& Becker A E) Pathways of preferential arterial conduction: correspondence 226
— *see also* Allan L D *et al*
Hegerty A S *et al*
ANGELINI G D (& Passani S P, Breckenridge I M) Prostacyclin production in saphenous vein from patients receiving aspirin 636 *P*
APPLETON D *see* Peart I *et al*
ARNIM T VON *see* Von Arnim T
ARNOLDA L *see* McGrath B P *et al*
ARTMAN M F *see* Parrish M D *et al*
AUSTIN A *see* Peart I *et al*

BAANDRUP U *see* Ibsen H H W *et al*
BAER F *see* Verheugt F W A *et al*
BAKER E J *see* Reidy J F *et al*
BALARAM U S V (& Karas S, Hallidie-Smith K A) Idiopathic infantile hypercalcaemia (Williams-Beuren syndrome) and associated cardiac anomalies: a clinical and echocardiographic study 652 *P*
BALCON R *see* Greenbaum R A & Balcon R
Murray N *et al*
BALDWIN J C *see* McGregor C G A *et al*
BALL S G *see* Cleland J G F *et al*
BALLANTYNE D *see* Northcote R J *et al*
BANIM S O *see* Dymond D S *et al*
BARBER P V *see* Schofield P M *et al*
BARBER R *see* Taylor N C *et al*
BARBER R W *see* Ormerod O J M *et al*
Stone D L *et al*
BARNABY P F *see* Brown M A *et al*
BATES D *see* Shaw P J *et al*
BEARD D *see* Agarwal A K *et al*
BECKER A E *see* Anderson R H & Becker A E
Stewart P A *et al*
BECKET J *see* Fessatidis I *et al*
BEEN M (& Kean D, Smith M A, Douglas R H B, Best J J K, Muir A L) Nuclear magnetic resonance in hypertrophic cardiomyopathy 48
BELDER M DE *see* de Belder M
BENNETT D H *see* Molajo A O & Bennett D H
Malajo A O *et al*
Schofield P M *et al*
BENTALL H *see* Hackett D *et al*
BENTALL H H *see* Fessatidis I Th *et al*
BERNADET P *see* Douste-Blazy P *et al*
BEST J J K *see* Been M *et al*
BIASUCCI L M *see* Rebuzzi A G *et al*
BING R F *see* Heagerty A M *et al*
BLANCQUAERT A DEVLOO- *see* Devloo-Blancquaert A
BLAZYP DOUSTE- *see* Douste-Blazy P
BOUCEK R J *see* Parrish M D *et al*
BOUISSOU H *see* Douste-Blazy P *et al*
BOWES R J *see* Schofield P M *et al*
BOWKER T J (& Cross F W, Rumsby P T, Gower M C, Poole-Wilson P A, Fox K M, Bown S G, Rickards A F) Is localised intracoronary hyperkalaemia a risk of laser angioplasty? 637 *P*: Which ultraviolet laser wavelengths are selective for atheromatous as opposed to normal arterial wall? 635 *P*
— (& Fox K M, Poole-Wilson P A, Bown S G, Rickards A F) Acute and chronic angiographic effects of in vivo coronary laser angioplasty 634 *P*
BOWN S G *see* Bowker T J *et al*
BOYD E G (& Holt P M, Sowton E) A modified energy delivery system for lower energy ablation 651 *P*
BOYLE D MCC *see* Higginson J D S *et al*
BRAIMBRIDGE M V *see* Saldanha C B R *et al*
BRANDT P W *see* Brown M A *et al*
BRANGENBERG R *see* Weil J *et al*
BRANNAN J J *see* Fessatidis I *et al*
BRECKENRIDGE I M *see* Angelini G D *et al*
BRESNAHAN J F *see* Sugrue D D *et al*
BRITISH CARDIAC SOCIETY Autumn meeting, London, November 1985, proceedings 609
BROCK T H CLUTTON- *see* Clutton-Brock T H
BROOKS N *see* Kay P H *et al*
BROWER R W (& Fioretti P, Simoons M, Haalebos M, Rulf E N R, Hugenholtz P G) Surgical versus non-surgical management of patients soon after acute myocardial infarction 460
BROWN M *see* McEwan J *et al*
BROWN M A (& Norris R M, Barnaby P F, Geary G G, Brandt P W) Effect of early treatment with propranolol on left ventricular function four weeks after myocardial infarction 351
BUCKNELL C A *see* Lewis S *et al*
BUGIARDINI R (& Ferrini D, Galvani M, Gridelli C, Pozzati A, Puddu P, Lenzi S) Effects of vasodilators on exercise capacity and myocardial oxygen supply in patients with angina pectoris and normal coronary arteries 610 *P*
BÜHLMEYER K *see* Weil J *et al*
BUICK B *see* Higginson J D S *et al*
BULL C *see* Sullivan I D *et al*
BUN-TAN L B *see* Ribeiro P *et al*
BUNTON R W (& Shore D F, Keeton B R, Sutherland G R, Monro

J L) The management of interrupted aortic arch 625 *P*
BURGER J *see* Parrish M D *et al*
BURTON R W (& Jones R A, Lang P, Castaneda A R) Anomalous origin of left coronary artery from pulmonary artery: ligation versus establishment of a two coronary system 624 *P*
BUSH A (& Busst C, Shinebourne E A) Does epoprostenol (prostacyclin) enhance the selective pulmonary vasodilator effect of oxygen in children with congenital heart disease? 625 *P*
BUSST C *see* Bush A *et al*
BUTROUS G S (& Davies D W, Debbas N, Erwin J, Camm A J) The clinical significance of ventricular supernormal period in man 641 *P*
BUYZERE M de *see* De Buyzere M

CABRERA A (& Galdeano J, Lekuona I) Persistent left sided fifth aortic arch in a neonate: case report 105
CALDER A L *see* Neutze J M *et al*
CAMM A J *see* Burtrous G S *et al*
Davies D W *et al*
Nathan A W *et al*
CAMPBELL R W F *see* Wren C *et al*
CAMPBELL T J (& Gavaghan T P, Morgan J J) Intravenous sotalol for the treatment of atrial fibrillation and flutter after cardiopulmonary bypass. Comparison with disopyramide and digoxin in a randomised trial 86
CANNING G *see* Northcote R J *et al*
CAPLIN J L *see* Dymond D S *et al*
CARRERAS F (& Thwaites B C, Castle G, Shapiro L, Donaldson R) Pitfalls in the comparison of Doppler estimates of aortic flow velocities with cardiac catheterisation data 649 *P*
—*see also* Thwaites B C *et al*
CARTLIDGE N E F *see* Shaw P J *et al*
CASTANEDA A R *see* Burton R W *et al*
CASTLE G *see* Carreras F *et al*
Thwaites B C *et al*
CATTERALL J R *see* Stewart P M & Catterall J R
CELLIERS C P *see* Gordon N F *et al*
CHALLENOR V *see* Upward J *et al*
CHAMBERLAIN D A Digitalis: where are we now? editorial 227
—*see also* Lewis S *et al*
CHEESMAN M G (& Mehta D, Walker J, Redding V J) Severe left main stem stenosis: safety of discharge home to await elective surgery 631 *P*
CHIERCHIA S *see* Hackett D *et al*
McEwan J *et al*
CHILD A *see* Handler C E *et al*
CHITA S K *see* Allan L D *et al*
CHOPRA P *see* Mukhopadhayay A K & Chopra P
CILLIERS J F *see* Gordon N F *et al*
CLARK D L *see* Rees M R *et al*
CLARKE L M *see* Papouchado M *et al*
CLARKSON P M *see* Neutze J M *et al*
CLELAND J (& Dargie H J, Findlay I, Wilson J) Effect of amiodarone on arrhythmia and left ventricular function in heart failure 647 *P*
—(& Gillen G, Dargie H J, Robertson J I S) Effects of enalapril on renal function in heart failure 655 *P*
—*see also* Hamilton J R L *et al*
CLELAND J G F (& Dargie H J, Ball S G, Gillen G, Hodsman G P, Morton J J, East B W, Robertson I, Ford I, Robertson J I S) Effects of enalapril in heart failure: a double blind study of effects on exercise performance, renal function, hormones, and metabolic state 305
CLEMENT D *see* Scheerder I *et al*
CLEMENT D L *see* Jordaens L *et al*
CLUTTON-BROCK T H *see* Cooper T J *et al*
COBBE S M (& Manley B S) Contrasting effects of the class III agents amiodarone and sotalol in ischaemic myocardium 645 *P*
COCKROFT J *see* Petri M P *et al*
COLEMAN E N *see* Houston A B *et al*
CONTI C R *see* Fenech A *et al*
CONWAY N *see* Keenan D J M *et al*
COOKE J *see* O'Callaghan C *et al*
COOPERT J (& Clutton-Brock T H, Jones S N, Tinker J, Treasure T) Factors relating to the development of hypertension after cardiopulmonary bypass 91
CONROY R *see* Daly L *et al*
CORNIL A *see* Kostucki W *et al*
CORR L *see* Dollery C T & Corr L
COSTA D C *see* Walton S *et al*
COWLEY A J (& Stainer K, Rowley J M, Hampton J R) Double blind comparison of the effect of increasing diuretics or adding captopril in the treatment of moderate cardiac failure 638 *P*
CRAKE T (& Westgate C, Shapiro L M) Inappropriate left ventricular hypertrophy in mild hypertension: echocardiographic study in middle aged subjects 649 *P*
—*see also* Quyyumi A A *et al*
CRAWFORD D C *see* Allan L D *et al*
CREA F *see* Fenech A *et al*
CRICHTON E *see* Shaw T R D *et al*
CRICK J C P Improved survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia: correspondence 550
—Reverse delta wave: a reliable sign of impending ventricular fibrillation in right coronary angiograpy 645 *P*
—(& Davies D W, Holt P, Curry P V L, Sowton E) Effect of exercise on ventricular response to atrial fibrillation in Wolff-Parkinson-White syndrome 80
—*see also* Polydorou A *et al*
Timmis A D *et al*
CROSS F W *see* Bowker T J *et al*
CROSSLAND P *see* Taylor N C *et al*
CUMBERLAND D *see* Shiu M F *et al*
CUNNINGHAM A D *see* Rowland E *et al*
CURRY P V L *see* Crick J C P *et al*
Ladusans E J *et al*

DALEY P J (& Sagar K B, Wann L S) Doppler echocardiographic measurement of flow velocity in the ascending aorta during supine and upright exercise 562
DALY K *see* Timmis A D *et al*
DALY L (& Conroy R, Hickey N, Mulcahy R) Natural history of post-myocardial infarction angina pectoris 610 *P*
DANDONA P *see* Symons C *et al*
DANSKY R *see* Altman D I *et al*
DARGIE H J *see* Cleland J *et al*
Cleland J G F *et al*
Findlay I *et al*
Fisher P M *et al*
McLenachan J *et al*
DAVIES D W (Wainwright R J, Tooley M, Camm A J) Automatic diagnosis of ventricular tachycardia by new methods of electrogram analysis 641 *P*
—*see also* Butrous G S *et al*
Crick J C P *et al*
DAVIES G *see* Hackett D *et al*
McEwan J *et al*
DAVIES M J (& Thomas A C) Intramyocardial platelet emboli in unstable angina and sudden ischaemic death 636 *P*
—*see also* Dawkins K D *et al*
DAVIES J R E *see* Shaw T R D *et al*
DAWKINS K D (& Wilson A G, Thomas A C, Davies M J) Postmortem coronary arteriography following sudden death 611 *P*
DAWSON J R (& Gibson D G) Functional effects of regional left ventricular asynchrony during acute angina 621 *P*
—(& Thompson D S, Signy M, Juul S M, Turnbull P, Jenkins B S, Webb-Peploe M M) Acute haemodynamic and metabolic effects of dopexamine, a new dopaminergic receptor agonist, in patients with chronic heart failure 313
DE BELDER M *see* Pumphrey C W *et al*
DE BUYZERE M *see* De Scheerder I *et al*

De Graeve J *see* Douste-Blazy P *et al*
De Leval M (& Stark J, Karl T, Taylor J F N) Surgical treatment of absent pulmonary valve syndrome 629 *P*
De Scheerder I (& De Buyzere M, Clement D) Association between post-pericardiotomy syndrome and coronary occlusion after aortic valve replacement: case report 445
De Zwaan C *see* Verheugt F W A *et al*
Deanfield J *see* McKenna W J *et al*
Deanfield J E *see* Ortiz E *et al*
Sullivan I D *et al*
Debbas N *see* Butrous G S *et al*
Del Torso S (& Kelly M J, Kalff V, Stellin G, Mee R B B, Venables A W) Non-invasive assessment of pulmonary blood supply after staged repair of pulmonary atresia 209
Delagardellle C *see* Wieshammer S *et al*
Dellborg M (& Held P, Swedberg K, Vedin A) Rupture of the myocardium. Occurrence and risk factors 11
Denniss A R (& Richards D A, Ross D L, Uther J B) Comparison of prognostic significance of delayed potentials and inducible ventricular tachycardia in 306 survivors of acute myocardial infarction 609 *P*
Devloo-Blancquaert A *see* van Egmond H *et al*
Dickie S *see* McKenna W J *et al*
Stockins B *et al*
Dickinson D F *see* Goldberg S J *et al*
Dion R *see* Kuijer P *et al*
Döhlemann C *see* Weil J *et al*
Doig W B *see* Houston A B *et al*
Dollery C T (& Corr L) Drug treatment of heart failure 234
Donaldson R *see* Carreras F *et al*
Shapiro L M *et al*
Thwaites B C *et al*
Dorrance D E *see* Handler C E *et al*
Douglas R H B *see* Been M *et al*
Douste-Blazy P (& Thiers J C, Valdiguie P, Bouissou H, de Graeve J, Bernadet P) Skin apolipoprotein B values in normocholesterolaemic patients with coronary artery disease: a discriminatory test: correspondence 452
Drummond L *see* Sutherland G R *et al*
Duncan F M *see* Shaw T R D *et al*
Dymond D S (& Caplin J L, O'Keefe J C, Flatman W D, Banim S O) Attenuation by calcium blockade of the abnormal response to cold pressor stimulation in patients with ischaemia and normal coronary arteries 637 *P*
Dyszkiewicz W *see* Zerbe F *et al*
Dziegielewski T *see* Zerbe F *et al*

East B W *see* Cleland J G F *et al*
Edelmann B *see* von Essen R *et al*
Edwards C R W *see* Shaw T R D *et al*
Eenige M J van *see* van Eenige M J
Effert S *see* von Essen R *et al*
Egmond H van *see* van Egmond H
Ekroth R (& Thompson R, Jackson A, Lincoln C) Does elective hypothermic circulatory arrest cause brain damage? Influence of its duration and other perioperative variables in patients with congenital heart disease 640 *P*
El-Sayed H *see* Miller G A H *et al*
Ell P J *see* Smith P L C *et al*
Walton S *et al*
Emanuel R *see* Hayward R *et al*
Emanuel R W *see* Walton S *et al*
English T A H *see* Taylor N C *et al*
Erwin J (& McWilliams E, Gearty G, Maurer B) Haemodynamic and symptomatic improvement using dual chamber pacing in hypertrophic cardiomyopathy 641 *P*
—*see also* Butrous G S *et al*
Espiner E A *see* Stewart D E *et al*
Essen R von *see* von Essen R
Evans R *see* Linker N J *et al*

Fagih M AL *see* Al Fagih M
Faillace R T (& Greenland P, Nanda N C) Rapid expansion of a saccular aneurysm on the left coronary sinus of Valsalva: a role for early surgical repair: case report 442
Farah S *see* Ribeiro P *et al*
Feiring A *see* Rees M R *et al*
Fenech A (& Crea F, Conti C R, Abela G S) Argon laser recanalisation of acutely thrombosed coronary arteries in live dogs 628 *P*
Ferrini D *see* Bugiardini R *et al*
Fessatidis I (& Man W K, Becket J, Brannan J J, Taylor K M) Epoprostenol (prostacyclin) therapy during cardiac surgery—is it beneficial? 629 *P*
—*see also* Hackett D *et al*
Fessatidis I Th (& Hackell D R, Oakley C, Sapsford R N, Bentall H H) Ten years clinical evaluation of models 6400 and 6120 Starr-Edwards isolated mitral valve replacement 638 *P*
Findlay I (& Henderson E, Taylor R, Grant S, Dargie H J) Cardiovascular fitness improves the coronary risk profile 656 *P*
—*see also* Cleland J *et al*
Fioretti P *see* Brower R W *et al*
Firmin D N *see* Rees R S D *et al*
Underwood S R *et al*
Fisher B M (& Dargie H J, Gillen G, Henderson E, Frier B M) Impairment of left ventricular function in diabetics—evidence for a specific heart muscle disease 656 *P*
Flatman W D *see* Dymond D S *et al*
Foale R A *see* Nihoyannopoulos P *et al*
Ribeiro P *et al*
Ford I *see* Cleland J G F *et al*
Forfang K *see* Ihlen H *et al*
Forfar J C (& Godman M J) Functional and anatomical correlates in atrial septal defect: an echocardiographic analysis 193
Fortune F *see* Symons C *et al*
Fox K M *see* Bowker T J *et al*
Levy R D *et al*
Quyyumi A A *et al*
Rees R S O *et al*
Underwood S R *et al*
Franklin R *see* McKenna W J *et al*
Ortiz E *et al*
Freeman L J (& Nixon P G F) Reoperation for angina after previous aortocoronary bypass surgery: correspondence 552
Frier B M *see* Fisher B M *et al*
Frustaci A (& Loperfido F, Pennestri F) Hypertrophic cardiomyopathy simulating an infiltrative myocardial disease: case report 329
Fukami K *see* Ogawa H *et al*

Galdeano J *see* Cabrera A *et al*
Galvani M *see* Bugiardini R *et al*
Gavaghan T P *see* Campbell T J *et al*
Gearty G *see* Erwin J *et al*
Geary G G *see* Brown M A *et al*
Gen C Guang- *see* Guang-Gen C
Gibbs J L Echocardiography and ambulatory electrocardiography in patients with tuberous sclerosis 653 *P*
—The heart and tuberous sclerosis. An echocardiographic and electrocardiographic study 596
—(& Qureshi S A, Radley-Smith R, Yacoub M H) Doppler echocardiography following anatomical correction of transposition of the great arteries 652 *P*
Gibson C J (& Laird E E, Williams E D, Rajathurai A, Mittra B, Rankin D) New technique for showing the relation of tomographic myocardial perfusion images obtained with thallium-201 to the coronary arteries 367
Gibson D *see* Lincoln C *et al*
Gibson D G *see* Dawson J R & Gibson D G
Gillen G *see* Cleland J *et al*
Cleland J G F *et al*
Fisher B M *et al*

GLOVER D R (& Littler W A) Factors influencing survival and mode of death in chronic ischaemic cardiac failure 613 *P*
GODMAN M J *see* Forfar J C & Godman M J
GOLD R G Do we need a new standard for electrocardiographs? editorial 119
GOLDBERG S J (& Dickinson D F, Wilson N) Evaluation of an elliptical area technique for calculating mitral blood flow by Doppler echocardiography 68
GOODWIN J F The challenge and the reproach of infective endocarditis: editorial 115
GORDON N F (& VAN Rensburg J P, Russell H M S, Kawalsky D L, Celliers C P, Cilliers J F, Myburgh D P) Effect of beta$_1$ selective adrenoceptor blockade on physiological response to exercise 96
GOTO Y *see* Ogawa H *et al*
GOWER M C *see* Bowker T J *et al*
GRAEVE J DE *see* De Graeve J
GRAFF R F *see* Radford D J *et al*
GRAHAM T P *see* Parrish M D *et al*
GRANT S *see* Findlay I *et al*
GREENBAUM R A (& Balcon R) Eleven years' experience of pacemaker insertion and therapy in a cardiothoracic centre 615 *P*
—*see also* Symons C *et al*
GREENLAND P *see* Faillace R T *et al*
GRIDELLI C *see* Bugiardini R *et al*
GRIFFIN B *see* Timmis A D *et al*
GUANG-GEN C *see* Lu-Li S *et al*
GUINN G A *see* Halim M A *et al*
GUNDERSEN T *see* Rønnevik P K *et al*
GWILT D J (& Petri M, Lewis P W, Nattrass M, Pentecost B L) Myocardial infarct size and mortality in diabetic patients 466

HAALEBOS M *see* Brower R W *et al*
HACKET D (& Davies G, Chierchia S, Maseri A) Effect of nitrates on coronary re-occlusion during intracoronary thrombolysis 619 *P*
HACKETT D (& Fessatides I, Sapsford R, Bentall H, Oakley C) Long term evaluation of isolated Starr-Edwards aortic valve replacement 629 *P*
HACKETT D R *see* Fessatidis I Th *et al*
HALIM M A (& Mercer E N, Guinn G A) Myocardial tuberculoma with rupture and pseudoaneurysm formation—successful surgical treatment: case report 603
HALL R *see* Odemuyiwa O *et al*
HALL R J C *see* Peart I *et al*
HALLIDIE-SMITH K A *see* Balaram U S V *et al*
HAMERLYNCK R *see* Jordaens L *et al*
HAMILTON I *see* Parker J *et al*
HAMILTON J R L (& Cleland J, O'Kane H O J) Emergency surgery following percutaneous transluminal coronary angioplasty 634 *P*
—(& Mulholland H C, Cleland J) Chylopericardium: a rare complication of a Waterston shunt: case report 548
HAMPTON J R *see* Cowley A J *et al*
HANDLER C E (& Child A, Light N D, Dorrance D E) Mitral valve prolapse, aortic compliance, and skin collagen in joint hypermobility syndrome 501
—(& Sowton E) Exercise induced ST elevation post-infarction: prognostic importance and relation to site of infarct 646 *P*
HANSEN O K *see* Vesterlund T *et al*
HARRISON M J G *see* Smith P L C *et al*
HARTNELL G G (& Parnell B M, Pridie R B) Coronary artery ectasia. Its prevalence and clinical significance in 4993 patients 392
HATLE L *see* Hegrenaes L & Hatle L
HAUGE S NITTER- *see* Nitter-Hauge S
HAWKEY C *see* Pearce P C *et al*
HAWORTH S G Lung biopsied in different types of congenital heart disease: computer-assisted structural and functional correlations 625 *P*
HAYWARD R (& Hunter G J S) Digital subtraction angiography in coronary artery bypass graft assessment: clinical applicability 357
—(Swanton H, Emanuel R) Coronary blood transit: effects of nifedipine assessed by parametric digital subtraction angiography 650 *P*
HAYWOOD G A *see* Joy M *et al*
HAZE K *see* Ogawa H *et al*
HEAGERTY A M (& Ollerenshaw J D, Jackson J, Bing R F, Thurston H, Swales J D) Linoleic acid, leucocyte sodium transport, free calcium, and blood pressure 635 *P*
HEALY M J R *see* Mulrow J P *et al*
HEARSE D J *see* Saldanha C B R *et al*
HEAVISIDE D W *see* Shaw P J *et al*
HECK I *see* Reska S N *et al*
HEDDLE W F (& Jones M E, Tonkin A M) Sinus node sequences after atrial stimulation: similarities of effects of different methods 568
HEGERTY A S (& Anderson R H, Ho S Y) Congenital heart malformations in the first year of life—a necropsy study 583
HEGRENAE S L (& Hatle L) Aortic stenosis in adults, non-invasive estimation of pressure differences by continuous wave Doppler echocardiography 396
HELD P *see* Dellborg M *et al*
HENDERSON E *see* Findlay I *et al*
Fisher B M et al
McLenachan J *et al*
HENZE E *see* Wieshammer S *et al*
HERSHKO C *see* Kramer M R *et al*
HESS M L Cardiac transplantation: correspondence 555
HETZER R *see* Amende I *et al*
HICKEY N *see* Daly L *et al*
HIGGINS J D S (& McCann J P, McHugh B, Buick B, Boyle D McC) Effect of chronic amiodarone treatment on pulmonary function 612 *P*
HIRAMORI K *see* Ogawa H *et al*
HO S Y *see* Hegerty A S *et al*
HODSMAN G P *see* Cleland J G F *et al*
HÖFLING B *see* VON Arnim T *et al*
HOOGENHUYZE D C A VAN *see* VAN Hoogenhuyze D C A
HOLLMAN A Plants and cardiac glycosides 258
HOLMES D R *see* Sugrue D D *et al*
HOLT P *see* Crick J C P *et al*
HOLT P M *see* Boyd E G *et al*
HONEY M *see* Miller G A H *et al*
HOUSTON A B (& Simpson I A, Sheldon C D, Doig W B, Coleman E N) Doppler estimation of pressure gradients in infundibular pulmonary stenosis 618 *P*
—*see also* Simpson I A *et al*
HUGENHOLTZ P G Is early recanalisation in acute myocardial infarction recommendable 636 *P*
—*see also* Brower R W *et al*
HUNTER G *see* Hayward R *et al*
HUNTER G J S *see* Hayward R & Hunter G J S
HUNTER S *see* Wren C *et al*
HUSSAIN S *see* Skehan J D *et al*
HUTTON I *see* McGhie I *et al*
Simpson I A *et al*
Tan L B *et al*
Tweddel A *et al*

IBSEN H H W (& Baandrup U, Simonsen E E) Familial right ventricular dilated cardiomyopathy 156
IHLEN H (& Myhre E, Amlie J P, Forfang K, Larsen S) Changes in left ventricular stroke volume measured by Doppler echocardiography 378
—*see also* Zhang Y *et al*
IKEDA M *see* Ogawa H *et al*
IKRAM H *see* Stewart D E *et al*
IKRAM S *see* Lewis S *et al*
ILSLEY C D J (& Ablett M B) Percutaneous transluminal coronary angioplasty—results in patients with acute myocardial infarction 620 *P*
——Percutaneous transluminal coronary angioplasty—results in

patients with multiple coronary stenoses 627 *P*
ISHIKAWA T *see* Neutze J M *et al*
ISLES C *see* McLenachan J *et al*

JACKSON A *see* Ekroth R *et al*
JACKSON B *see* McGrath B P *et al*
JACKSON J *see* Heagerty A M *et al*
JAMES M A *see* Papouchado M *et al*
JAMIESON S W *see* McGregor C G A *et al*
JENKINS B S *see* Dawson J R *et al*
JENNINGS G *see* McGrath B P *et al*
JEWITT D E *see* Timmis A D *et al*
Trosser A et al
JOHNSON A M *see* Keenan D J M *et al*
JOHNSTON C I *see* McGrath B P *et al*
JONAS R A *see* Burton R W *et al*
JONES D A *see* Lipkin D P *et al*
JONES M E *see* Heddle W F *et al*
JONES O *see* Ladusans E J *et al*
JONES O D H *see* Reidy J F *et al*
JONES S N *see* Cooper T J *et al*
JORDAENS L (& Hamerlynck R, Clement D L) Efficacy of an implanted automatic defibrillator which had induced atrial fibrillation: case report 605
JORDAN S C Two dimensional and pulsed Doppler investigations of children with early systolic murmurs 618 *P*
JOSEPH M *see* Ladusans E J *et al*
JOSEPH M C *see* Reidy J F *et al*
JOSEPH P L A *see* Smith P L C *et al*
JOY M (& Haywood G A, Webb-Peploe M M) Management of a case of refractory variant angina with benzhexol hydrochloride (trihexyphenidyl hydrochloride): case report 448
JULIAN D G The practical implications of the coronary artery surgery trials: review 343
—*see also* Shaw P J *et al*
JUUL S M *see* Dawson J R *et al*

KALFF V *see* del Torso S *et al*
KALMANSON D *see* Veyrat C *et al*
KARAS S *see* Balaram U S V *et al*
KARL T *see* Leval M *et al*
KAWALSKY D L *see* Gordon N F *et al*
KAY P H (& Brooks N, Magee P, Sturridge M F, Walesby R K, Wright J E C) Bypass grafting to the right coronary artery with and without endarterectomy: patency at one year 489
KEAN D *see* Been M *et al*
KEENAN D J M (& Monro J L, Ross J K, Manners J M, Conway N, Johnson A M) Left ventricular aneurysm. The Wessex experience 269
KEETON B R *see* Bunton R W *et al*
Sutherland G R *et al*
KEKWICK C A *see* Linker N J *et al*
KELLY M J *see* del Torso S *et al*
KERR I H *see* O'Callaghan C *et al*
KHAN F *see* Trosser A *et al*
KHOSLA T *see* Mir M A *et al*
KIAT H *see* McGrath B P *et al*
KINGSTON T *see* Schofield P M *et al*
KITNEY R *see* Skehan J D *et al*
KLIPSTEIN R H *see* Rees R S O *et al*
Underwood S R *et al*
KNOPP R *see* Reske S N *et al*
KOSTUCKI W (& VAN Kuyk M, Cornil A) Changing echocardiographic features of a hydatid cyst of the heart: case report 224
KRAMER M R (& Shilo S, Hershko C) Atrioventricular and sinoatrial block in thyrotoxic crisis: case report 600
KRIKLER D M Withering and the foxglove: the making of a myth 256
—*see also* Savill J *et al*

KRIKLER S *see* McKenna W J *et al*
KROPP J *see* Reske S N *et al*
KRUG H *see* Zerbe F *et al*
KUBAT K *see* Sengers R C A *et al*
KUIJER P (& Dion R, VAN Merrienboer F) Right atrial spleen: case report 337
KUMPENG V *see* Robinson P J *et al*
KUYK M VAN *see* VAN Kuyk M

LADUSANS E J (& Tynan M, Joseph M, Jones O, Curry P V L) Multi-programmable pacemakers—essential for pacing in children 632 *P*
LAIRD E E *see* Gibson C J *et al*
LAKWIJK-VONDROVICOVA E VAN *see* VAN Lakwijk-Vondrovicova E
LANE G E *see* Sugrue D D *et al*
LANG P *see* Burton R W *et al*
LANG R E *see* Weil J *et al*
LARSEN S *see* Ihlen H *et al*
LAVENDER J P *see* Stockins B *et al*
LAYTON C Lead specificity of the maximum ST/heart rate slope response: correspondence 554
—*see also* Murray N *et al*
LEDDA R *see* Reske S N *et al*
LEE W H *see* Packer M *et al*
LEKUONA I *see* Cabrera A *et al*
LENZI S *see* Bugiardini R *et al*
LESSANA A *see* Veyrat C *et al*
LEVAL M DE *see* de Leval M
LEVIN S E *see* Altman D I *et al*
LEVORSTAD K *see* Zhang Y *et al*
LEVY R *see* Quyyumi A A *et al*
LEVY R D (& Shapiro L M, Wright C, Mockus L, Fox K M) Ambulatory pulmonary artery pressure monitoring in the evaluation of angina pectoris 643 *P*
—(& Shapiro L M, Mockus L, Wright C, Fox K M) The significance of painless ST segment depression assessed by ambulatory pulmonary artery pressure monitoring 623 *P*
LEWIS P W *see* Gwilt D J *et al*
LEWIS S (& Bucknell C A, Ikram S, Vincent R, Chamberlain D A) Temporary transvenous cardioversion for recurrent ventricular tachyarrhythmias 612 *P*
LI S LU- *see* Lu-Li S
LIAN L RU- *see* Ru-Lian L
LICHTLEN P R *see* Amende I *et al*
LIGHT N D *see* Handler C E *et al*
LINCOLN C (& Rigby M, Shinebourne E, Gibson D) Anatomic correction for transposition and DORV—early and intermediate structural and functional considerations 639 *P*
—*see also* Ekroth R *et al*
LINKER N J (& Evans R, Kekwick C A, Shaw D B) Ischaemia and sinus node disease 612 *P*
LIPKIN D P (& Jones D A, Round J M, Poole-Wilson P A) Maximal force, fibre type, and enzymatic activity in quadriceps of patients with severe heart failure: a mechanism for reduced exercise capacity 622 *P*
—(& Perrins J, Poole-Wilson P A) Respiratory gas exchange in the assessment of patients with impaired ventricular function 321
—(& Poole-Wilson P A) Origins of breathlessness in chronic heart failure 609 *P*
LITTLER W A *see* Glover D R & Littler W A
LOCHAN R G *see* Agarwal A K *et al*
LONGMORE D B *see* Rees R S O *et al*
Underwood S R *et al*
LOPERFIDO F *see* Frustaci A *et al*
Rebuzzi A G et al
LU-LI S (& Guang-Gen C, Ru-Lian L) Valve prolapse in Behçet's disease 100
LYONS J *see* Murray N *et al*

McCann J P *see* Higginson J D S *et al*
Macartney F J *see* Ortiz E *et al*
Robinson P J *et al*
Sullivan I D *et al*
McDonald A *see* Skehan J D *et al*
McEwan J (& Chierchia S, Davies G, Stevenson J, Brown M, Maseri A, MacIntyre I) Coronary vasodilation by calcitonin gene related peptide 643 *P*
McGhie I (& Tweddel A, Martin W, Hutton I) Detection of coronary disease: a comparison between exercise technetium ventriculography and exercise thallium imaging 617 *P*
—*see also* Tweddel A *et al*
McGrath B P (& Arnolda L, Matthews P G, Jackson B, Jennings G, Kiat H, Johnston C I) Controlled trial of enalapril in congestive cardiac failure 405
McGregor C G A (& Jamieson S W, Stinson E B, Oyer P E, Reitz B A, Baldwin J C, Shumway N B) Heart-lung transplantation for Eisenmenger's syndrome 630 *P*
McHugh B *see* Higginson J D S *et al*
Macintyre I *see* McEwan J *et al*
McKenna W J Improved survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia: correspondence reply 550
—(& Deansfield J, Franklin R, Krikler S, Dickie S) Arrhythmia in children and adolescents with hypertrophic cardiomyopathy: incidence and relation to prognosis 632 *P*
—(& Sugrue D D) Left ventricular gradients in hypertrophic cardiomyopathy: correspondence reply 113
—*see also* Mulrow J P *et al*
Stockins B *et al*
McLenachan J (& Henderson E, Isles C, Dargie H J Arrhythmias and left ventricular hypertrophy in essential hypertension 645 *P*
McLeod A A *see* Timmis A D *et al*
Macmillan R M *see* Rees M R *et al*
McWilliams E *see* Erwin J *et al*
Madsen J K Ischaemic heart disease and prodromes of sudden cardiac death. Is it possible to identify high risk groups for sudden cardiac death? 27
Magee P *see* Kay P H *et al*
Man W K *see* Fessatidis I *et al*
Manley B S *see* Cobbe S M & Manley B S
Manners J M *see* Keenan D J M *et al*
Mansell M A *see* Morgan S H *et al*
Maranhao V *see* Rees M R *et al*
Martin W *see* McGhie I *et al*
Tweddel A *et al*
Maseri A *see* Hackett D *et al*
McEwan J *et al*
Mastenbroek C Cultivation and breeding of *Digitalis lanata* in the Netherlands 262
Mattern H *see* Reske S N *et al*
Matthews P G *see* McGrath B P *et al*
Matthys D *see* van Egmond H *et al*
Maurer B *see* Erwin J *et al*
Medina N *see* Packer M *et al*
Mee R B B *see* del Torso S *et al*
Mehta D *see* Cheesman M G *et al*
Meier B Benign coronary perforation during percutaneous transluminal coronary angioplasty 33
Mercer E N *see* Halim M A *et al*
Merrienboer F van *see* van Merrienboer F
Miller G A H Balloon valvuloplasty and angioplasty in congenital heart disease 285
—(& Honey M, El-Sayed H) Isolated coronary ostial stenosis—a previously unrecognised clinical syndrome 611 *P*
Mills P G *see* Pumphrey C W *et al*
Skehan J D *et al*
Milner S *see* Altman D I *et al*
Mir F *see* Mir M A *et al*
Mir M A (& Mir F, Khosla T) Prevalence of hypertension in habitually salted-tea drinking population in Northern Kashmir 613 *P*
Mitchell A *see* Yusuf S *et al*
Mitchell A G (& Yacoub M H) Conduction between donor and recipient atria following orthotopic cardiac transplantation 615 *P*
Mitchell M *see* Savill J *et al*
Mittra B *see* Gibson C J *et al*
Mockus L *see* Levy R D *et al*
Quyyumi A A *et al*
Mockus L J *see* Quyyumi A A *et al*
Molajo A O (& Bennett D H) Effect of xamoterol (ICI 118587), a new beta$_1$ adrenoceptor partial agonist, on resting haemodynamic variables and exercise tolerance in patients with left ventricular dysfunction 17
—(& Summers G D, Bennett D H) Effect of percutaneous transluminal coronary angioplasty on arrhythmias complicating angina 375
Monaghan M *see* Timmis A D *et al*
Monro J L *see* Bunton R W *et al*
Keenan D J M *et al*
Morgan J J *see* Campbell T J *et al*
Morgan S H (& Mansell M A, Thompson F D) Fluid removal by haemofiltration in diuretic resistant cardiac failure: case report 218
Morton J J *see* Cleland J G F *et al*
Morton P *see* O'Keeffe D B *et al*
Moss D W *see* Ribeiro P *et al*
Muir A L *see* Been M *et al*
Mukhopadhayay A K (& Chopra P) Diffuse non-specific aortitis with multiple saccular aneurysms and aorto-enteric fistula: case report 102
Mulcahy R *see* Daly L *et al*
Mulholland H C (& Shields M D) The assessment of surgical shunt patency by Doppler 639 *P*
—*see also* Hamilton J R L *et al*
Mulrow J P (& Healy M J R, McKenna W J) Spontaneous variability of ventricular arrhythmia and its effect on the optimal duration of electrocardiographic monitoring required 644 *P*
Murray J *see* Altman D I *et al*
Murray M *see* Skehan J D *et al*
Murray N (& Lyons J, Balcon R, Layton C) How many patients with myocardial infarction are suitable for thrombolysis? 620 *P*
Murray R G *see* Tan L B *et al*
Murtagh J G *see* O'Keeffe D B *et al*
Myburgh D P *see* Gordon N F *et al*
Myhre E *see* Ihlen H *et al*
Zhang Y *et al*

Nagle R E *see* Petri M P *et al*
Nanda N C *see* Faillace R T *et al*
Nathan A W (& Spurrel R A J, Camm A J) Low energy endocardial countershock for the treatment of ventricular tachycardia and fibrillation 615 *P*
Nattrass M *see* Gwilt D J *et al*
Neilson G H *see* Radford D J *et al*
Neutze J M (& Ishikawa T, Clarkson P M, Calder A L) Assessment of pulmonary vascular resistance in patients with ventricular septal defect 633 *P*
Newman S P *see* Smith P L C *et al*
Nicholls M G *see* Stewart D E *et al*
Nihoyannopoulos P (& Foale R A, Stockins B, Oakley C M) Sensitivity of echocardiography in infective endocarditis 648 *P*
—*see also* Ribeiro P *et al*
Stuckins B *et al*
Nitter-Hauge S *see* Zhang Y *et al*
Nixon P G F *see* Freeman L J & Nixon P G F
Norris R M *see* Brown M A *et al*
Northcote R J (& Canning G, San K-M, Ballantyne D) Lipo-

protein profiles in veteran endurance athletes and age matched subjects with coronary artery disease and controls 647 *P*

OAKLEY C *see* Fessatidis I Th *et al*
Hackett D *et al*
OAKLEY C M Management of primary pulmonary hypertension: correspondence reply 554
—*see also* Nihoyannopoulos P *et al*
Ribeiro P *et al*
Stockins B *et al*
OAKLEY D *see* Shiu M F *et al*
O'CALLAGHAN C (& Cooke J, Kerr I H, Shinebourne E A) Subpulmonary pleural effusions in children after cardiac surgery 593
ODEMUYIWA O (& Peart I, Albers C, Hall R) Reciprocal ST depression in acute myocardial infarction 479
OGAWA H (& Hiramori K, Haze K, Saito M, Sumiyoshi T, Fukami K, Goto Y, Ikeda M) Classification of non-Q-wave myocardial infarction according to electrocardiographic changes 473
O'KANE H O J *see* Hamilton J R L *et al*
O'KEEFE J C *see* Dymond D S *et al*
O'KEEFE D B (& Morton P, Murtagh J G, Scott M E) Follow up to two years in 108 patients with severe early cardiac infarction treated with intravenous streptokinase 619 *P*
OLIVER M F Strategies for preventing and screening for coronary heart disease: editorial 1
OLLERENSHAW J D *see* Heagerty A M *et al*
OLSEN E G J *see* Pearce P C *et al*
Quyyumi A A *et al*
Williams D G, Olsen E G J
OREYE W *see* VAN Egmond H *et al*
OMEROD O J M (& Stone D L, Barber R W, Wraight E P, Petch M C) Assessment of ventricular function in aortic regurgitation by phase analysis of equilibrium radionuclide ventriculography 638 *P*
—*see also* Stone D L *et al*
ORTIZ E (& Robinson P J, Deanfield J E, Franklin R, Macartney F J, Wyse R K H) Localisation of ventricular septal defects by simultaneous display of superimposed colour Doppler and cross sectional echocardiographic images 53
OYER P E *see* McGregor C G A *et al*

PACKER M (& Medina N, Yushak M, Lee W H) Usefulness of plasma renin activity in predicting haemodynamic and clinical responses and survival during long term converting enzyme inhibition in severe chronic heart failure. Experience in 100 consecutive patients 298
PALMER R B G *see* Sanderson J E *et al*
PAPOUCHADO M (& Walker P R, James M A, Clarke L M) The Mason-Liker "modified" exercise electrocardiograph: essentially identical to the 12 standard leads? 623 *P*
PARKER J (& Hamilton I Shepherd G) Clinical budgeting in cardiology and cardiac surgery 631 *P*
PARNELL B M *see* Hartnell G G *et al*
PARRISH M D (& Boucek R J, Burger J, Artman M F, Partain C L, Graham T P) Exercise radionuclide ventriculography in children: normal values for exercise variables and right and left ventricular function 509
PARTAIN C L *see* Parrish M D *et al*
PASSANI S P *see* Angelini G D *et al*
PEARCE P C (& Hawkey C, Symons C, Olsen E G J) Role of calcium in the induction of cardiac hypertrophy and myofibrillar disarray. Experimental studies of a possible cause of hypertrophic cardiomyopathy 420
PEART I (& Albers C, Hall R J C) Exercise testing six weeks and 18 months after myocardial infarction in patients under 55 years 622 *P*
—(& Austin A, Appleton D, Hall R J C) Segmental wall motion analysis of cross sectional echocardiograms: its reproducibilty and sources of variability 617 *P*
—*see also* Odemuyiwa O *et al*
PEDOE H TUNSTALL- *see* Tunstall-Pedoe H
PENNESTRI F *see* Frustaci A *et al*
PENTECOST B L *see* Gwilt O J *et al*
PEPLOE M M WEBB- *see* Webb-Peploe M M
PERRINS J *see* Lipkin D P *et al*
PERRY R A (& Shiu M F) Assessment of regional myocardial shortening using routine diagnostic coronary arteriograms 620 *P*
—(& Singh A, Shiu M F) Success and complication rates for coronary angioplasty in patients with and without previous myocardial infarction 634 *P*
PETCH M C *see* Ormerod O J M *et al*
Stone D L *et al*
Taylor N C *et al*
PETRI M *see* Gwilt D J *et al*
PETRI M P (& Zezulka A, Cockroft J, Nagle R E) Potassium homoeostasis following acute myocardial infarction—the effect of beta blockade 646 *P*
PIDGEON J W Reoperation for angina after previous aortocoronary bypass surgery: correspondence reply 552
PIEHLER J *see* Sugrue D D *et al*
POLLICK C Left ventricular gradients in hypertrophic cardiomyopathy: correspondence 113
POLYDOROU A (& Crick J C P, Sowton E) How soon after PTCA should its results be assessed by exercise testing? 626 *P*
PONIZYŃSKI A *see* Zerbe F *et al*
POOLE-WILSON P A *see* Bowker T J *et al*
Lipkin D P & Poole-Wilson P A
Lipkin D P *et al*
Rees R S O *et al*
Underwood S R *et al*
POZZATI A *see* Bugiardini R *et al*
PRIDIE R B *see* Hartnell G G *et al*
PUDDU P *see* Bugiardini R *et al*
PUMPHREY C W (& Skehan D, de Belder M, Rothman M T, Mills P G) A comparison of exercise testing at ten days and three months after myocardial infarction: relation to the pattern of coronary disease 623 *P*

QUARENDON P *see* Smith L D R & Quarendon P
QURESHI S A *see* Gibbs J L *et al*
QUYYUMI A A (& Al-Rufaie H K, Olsen E G J, Fox K M) Coronary anatomy in patients with various manifestations of three vessel coronary artery disease 362
—(& Crake T, Wright C, Mockus L, Levy R, Fox K M) The effects of beta blocker, calcium antagonist, and nitrate in patients with exertional and rest angina 643 *P*
—(& Wright C M, Mockus L J, Fox K M) How important is a history of chest pain in determining the degree of ischaemia in patients with angina pectoris? 22
———(Mockus L J, Yacoub M, Fox K M) Effects of myocardial revascularisation in patients with effort angina and those with effort and nocturnal angina 557

RADEMAKER M *see* Shaw T R D *et al*
RADFORD D J (& Graff R F, Neilson G H) Diagnosis and natural history of Ebstein's anomaly 517
RADLEY-SMITH R *see* Gibbs J L *et al*
RAJATHURAI A *see* Gibson C J *et al*
RANKIN D *see* Gibson C J *et al*
RAO P S Descending aortography with balloon inflation. A technique for evaluating the size of persistent ductus arteriosus in infants with large proximal left to right shunts 527
RAU G *see* VON Essen R *et al*
REBUZZI A G (& Loperfido F, Biasucci L M) Transient Q waves followed by left anterior fascicular block during exercise: case report 107
REDDING V J *see* Agarwal A K *et al*
Cheeseman M G *et al*
REECE I J *see* Simpson I A *et al*

REEDER G S *see* Sugrue D D *et al*
RENSBURG J P VAN *see* VAN Rensburg J P
REES M R (& MacMillan R M, Reiter S, Rumberger H, Feiring A, Maranhao V, Clark D L) Sensitivity and specificity of coronary artery bypass graft patency estimation by cine computed tomography 655 *P*
REES P G *see* Sullivan I D *et al*
REES R S O (& Underwood S R, Savage P E, Klipstein R H, Firmin D N, Fox K M, Poole-Wilson P A, Longmore D B) Magnetic resonance assessment of left ventricular wall motion 650 *P*
—*see also* Underwood S R *et al*
REIDY J F (& Jones O D H, Tynan M J, Baker E J, Joseph M C) Embolisation procedures in congenital heart disease 184
REITER S *see* Rees M R *et al*
REITZ B A *see* McGregor C G A *et al*
REMME P J *see* Verheugt F W A *et al*
RES J C J *see* Verheugt F W A *et al*
RESKE S N (& Heck I, Kropp J, Mattern H, Ledda R, Knopp R, Winkler C) Captopril mediated decrease of aortic regurgitation 415
RIBEIRO P (& Al Zaibag M, Abdullah M, Salem C, Shea M J, Al Fagih M) Comparison of bioprosthesis degeneration in the aortic versus the mitral position 630 *P*
—(& Bun-Tan L B, Oakley C M) Management of aortic left ventricular tunnel: case report 333
—(& Nihoyannopoulos P, Farah S, Moss D W, Westaby S, Oakley C M, Foale R A) Role of transient ischaemia and perioperative myocardial infarction in the genesis of new septal wall motion abnormalities after coronary bypass surgery 140
RICHARDS D A *see* Denniss A R *et al*
RICKARDS A F *see* Bowker T J *et al*
Rowland E *et al*
RIGBY M *see* Lincoln C *et al*
ROBERTSON I *see* Cleland J G F *et al*
ROBERTSON J I S *see* Cleland J *et al*
Cleland J G F *et al*
ROBINSON P J (& Kumpeng V, Macartney F J) Cross sectional echocardiographic and angiocardiographic correlation in criss cross hearts 61
—(& Wyse R K H, Macartney F J) Left ventricular outflow tract obstruction in complete transposition of the great arteries with intact ventricular septum. A cross sectional echocardiography study 201
—*see also* Ortiz E *et al*
Sullivan I D *et al*
RODGER J C *see* Simpson I A *et al*
RØNNEVIK P K (& Gundersen T, Abrahamsen A M) Effect of smoking habits and timolol treatment on mortality and reinfarction in patients surviving acute myocardial infarction 134
ROSS D L *see* Denniss A R *et al*
ROSS J K *see* Keenan D J M *et al*
ROTHMAN M *see* Skehan J D *et al*
ROTHMAN M T *see* Pumphrey C W *et al*
ROUND J M *see* Lipkin D P *et al*
ROWLAND E (& Cunningham A D, Rickards A F) Adaptation of overdrive pacing rate for termination of AV re-entry tachycardia with change in posture—relevance for automatic software pacemakers 642 *P*
ROWLEY J M *see* Cowley A J *et al*
RU-LIAN L *see* Lu-Li S *et al*
RUFAIE H K AL- *see* Al-Rufaie H K
RUITENBEEK W *see* Sengers R C A *et al*
RULF E N R *see* Brower R W *et al*
RUMBERGER J *see* Rees M R *et al*
RUMBSY P T *see* Bowker T J *et al*
RUSSELL H M S *see* Gordon N F *et al*

SAGAR K B *see* Daley P J *et al*
SAITO M *see* Ogawa H *et al*
SALDANHA C B R (& Braimbridge M V, Hearse D J) Do hyperkalaemic cardioplegic solutions damage vascular endothelium?—studies on vascular responsiveness in the rat heart 654 *P*
SALEM C *see* Ribeiro P *et al*
SAN K-M *see* Northcote R J *et al*
SANDERSON J E (& Palmer R B G, Wright B Y) Myopotential sensing and DDD pacemakers 651 *P*
SAPSFORD R *see* Hackett D *et al*
Thompson G R, Sapsford R
SAPSFORD R N *see* Fessatidis I Th *et al*
SAVAGE P E *see* Rees R S O *et al*
SAVILL J (& Mitchell M, Wood D, Krikler D M) Rapid plasma digoxin assay in outpatients—a useful routine technique? 248
SAYED H EL- *see* El-Sayed H
SCHEERDER I DE *see* De Scheerder I
SCHMIDT W *see* VON Essen R *et al*
SCHOFIELD P M (& Barber P V, Kingston T) Preoperative and postoperative pulmonary fuction tests in patients with atrial septal defect and their relation to pulmonary artery pressure and pulmonary:systemic flow ratio 577
—(& Bowes R J, Bennett D H) Exercise capacity and heart rhythm following transvenous fulguration of atrioventricular conduction 614 *P*
SCHREIBER M *see* VON Arnim T *et al*
SCOTT M E *see* O'Keeffe D B *et al*
SEBENING W *see* Weil J *et al*
SEEGERS A *see* Amende I *et al*
SENGERS R C A (& Stadhouders A M, VAN Lakwijk-Vondrovicova E, Kubat K, Ruitenbeek W) Hypertrophic cardiomyopathy associated with a mitochondrial myopathy of voluntary muscles and congenital cataract 543
SERRUYS P W *see* Verheugt F W A *et al*
SHAPIRO L *see* Carreras F *et al*
Thwaites B C *et al*
SHAPIRO L M (& Thwaites B, Westgate C, Donaldson R) Prevalence and clinical significance of aortic valve prolapse 179
—*see also* Crake T *et al*
Levy R D *et al*
SHAW D A *see* Shaw P J *et al*
SHAW D B *see* Linker N J *et al*
SHAW P J (& Bates D, Cartlidge N E F, Heaviside D W, Shaw D A, Julian D G) Neurological complications of coronary artery bypass surgery 609 *P*
SHAW T R D (& Duncan F M, Williams B C, Crichton E, Thomson S A, Davis J R E, Rademaker M, Edwards C R W) Plasma free captopril concentrations during short and long term treatment with oral captopril for heart failure 160
SHEA M J *see* Ribeiro P *et al*
SHELDON C D *see* Houston A B *et al*
SHEPHERD G *see* Parker J *et al*
SHIELDS M D *see* Mulholland H C & Shields M D
SHILO S *see* Kramer M R *et al*
SHINEBOURNE E *see* Lincoln C *et al*
SHINEBOURNE E A *see* Bush A *et al*
O'Callaghan C *et al*
SHIU M F (& Sullivan N P, Oakley D, Cumberland D) Acute coronary occlusion during percutaneous transluminal coronary angioplasty 129
—(& Singh A) Spontaneous recanalisaton of side branches occluded during percutaneous transluminal coronary angioplasty: case report 215
—*see also* Perry R A & Shiu M F
Perry R A *et al*
SHORE D F *see* Bunton R W *et al*
SHUMWAY N B *see* McGregor C G A *et al*
SIGEL H A *see* Wieshammer S *et al*
SIGNY M *see* Dawson J R *et al*
SILNY J *see* VON Essen R *et al*
SILVERTON N P *see* Shiu M F *et al*
SIMON R *see* Amende I *et al*

SIMONSEN E E *see* Ibsen H H W *et al*
SIMOONS M *see* Brower R W *et al*
SIMOONS M L *see* Verheugt F W A *et al*
SIMPSON I A (& Reece I J, Houston A B, Wheatley D J, Hutton I) Doppler ultrasound assessment of 155 patients with investigational bioprosthetic valve replacement 631 *P*
—(& Rodger J C, Tweddel A C, Houston A B, Reece I J) Non-invasive haemodynamic assessment of mitral prosthetic function by Doppler ultrasound 648 *P*
—*see also* Houston A B *et al*
SINGH A *see* Perry R A *et al*
Shiu M F & Singh A
SINGH R N (& Sosa J A) Coronary artery bypass grafting and hyperlipidaemia: correspondence 453
SKEHAN J D (& Kitney R, Hussain S, Rothman M, McDonald A) Analysis of the signal averaged surface electrocardiogram for late potentials after myocardial infarction 642 *P*
—(& Murray M, Mills P G) Infective endocarditis: current incidence and mortality 614 *P*
SKEHAN D *see* Pumphrey C W *et al*
SMITH H C *see* Sugrue D D *et al*
SMITH K A HALLIDIE- *see* Hallidie-Smith K A
SMITH L D R (& Quarendon P) Four dimensional cardiac imaging 616 *P*
SMITH M A *see* Been M *et al*
SMITH P L C (& Joseph P L A, Newman S P, Ell P J, Harrison M J G, Treasure T) Cerebral consequences of coronary artery surgery 630 *P*
SMITH R RADLEY- *see* Radley-Smith R
SMITH S A (& Weissberg P L, Tan L-B) Permanent pacemaker failure due to surgical emphysema: case report 220
SMYTH P *see* Timmis A D *et al*
SOMERVILLE J (& Warnes C) Transposition of the great arteries—adults and adolescents late after Mustard procedure 633 *P*
—*see also* Warnes C A & Somerville J
SOSA J A *see* Singh R N & Sosa J A
SOUL F *see* Sutherland G R *et al*
SOWTON E *see* Boyd E G *et al*
Crick J C P *et al*
Handler C E & Sowton E
Polydorou A *et al*
Timmis A D *et al*
SPURRELL R A J *see* Nathan A W *et al*
STADHOUDERS A M *see* Sengers R C A *et al*
STAINER K *see* Cowley A J *et al*
STARK J *see* DE Leval M *et al*
STAUCH M *see* Wieshammer S *et al*
STELLIN G *see* DEL Torso S *et al*
STEVENSON J *see* McEwan J *et al*
STEWART D E (& Ikram H, Espiner E A, Nicholls M G) Arrhythmogenic potential of diuretic induced hypokalaemia in patients with mild hypertension and ischaemic heart disease 290
STEWART P A (& Wladimiroff J W, Becker A E) Early prenatal detection of double outlet right ventricle by echocardiograhy: case report 340
STEWART P M (& Catterall J R) Chronic nicotine ingestion and atrial fibrillation: case report 222
STINSON E B *see* McGregor C G A *et al*
STOCKINS B (& Dickie S, Lavender J P, Oakley C M, McKenna W J) Comparison of ejection dynamics in hypertrophic cardiomyopathy and valvar aortic stenosis 621 *P*
—(& Dickie S, Nihoyannopoulos P, Lavender J P, McKenna W J, Oakley C M) Beneficial effect of beta blockade in aortic stenosis 655 *P*
—*see also* Nihoyannopoulos P *et al*
STONE D L (& Barber R W, Ormerod C J M, Petch M C, Wraight E P) Quantification of intracardiac shunts by gold-195 m, a new radionuclide with a short half life 495
—*see also* Ormerod O J M *et al*
STURRIDGE M F *see* Kay P H *et al*
SUGRUE D D (& Holmes D R, Smith H C, Reeder G S, Lane G E, Vlietstra R E, Bresnahan J F, Piehler J) Coronary artery thrombus as a risk factor for acute vessel occlusion during percutaneous transluminal coronary angioplasty: improving results 627 *P*
—*see also* McKenna W J & Sugrue D D
SULLIVAN I D (& Robinson P J, Macartney F J, Taylor J F N, Rees P G, Bull C, Deanfield J E) Percutaneous balloon valvuloplasty for pulmonary valve stenosis in infants and children 435
SUMIYOSHI T *see* Ogawa H *et al*
SUMMERS G D *see* Molajo A O *et al*
SUTHERLAND G R (& Soul F, Keeton B R, Drummond L) The Doppler evaluation of discrete subvalvar and multilevel outflow tract obstruction in congenital heart disease 626 *P*
—*see also* Bunton R W *et al*
Upward J *et al*
SWALES J D *see* Heagerty A M *et al*
SWANTON H *see* Hayward R *et al*
SWEDBERG K *see* Dellborg M *et al*
SYMONS C (& Fortune F, Greenbaum R A, Dandona P) Cardiac hypertrophy, hypertrophic cardiomyopathy, and hyperparathyroidism—an association 539
—*see also* Pearce P C *et al*

TAN L B (& Murray R G, Tweddel A C, Hutton I) Do cardiac glycosides exert positive inotropism in sinus rhythm? 654 *P*
TAN L-B *see* Smith S A *et al*
TAN L B BUN- *see* Bun-Tan L B
TAYLER D I (& Vincent R) Artefactual ST segment abnormalities due to electrocardiograph design 121
TAYLOR J F N *see* de Leval M *et al*
Sullivan I D *et al*
TAYLOR K M *see* Fessatidis I *et al*
TAYLOR N C (& Barber R, Crossland P, Wraight E P, English T A H, Petch M C) Does left ventricular aneurysmectomy improve ventricular function in patients undergoing coronary bypass surgery? 145
TAYLOR R *see* Findlay I *et al*
THIERS J C *see* Douste-Blazy P *et al*
THOMAS A C *see* Davies M J & Thomas A C
Dawkins K D *et al*
THOMPSON D S *see* Dawson J R *et al*
THOMPSON F D *see* Morgan S H *et al*
THOMPSON G R (& Sapsford R) Coronary artery bypass grafting and hyperlipidaemia: correspondence reply 453 *P*
THOMPSON R *see* Ekroth R *et al*
THOMSEN P E B *see* Vesterlund T *et al*
THOMSON S A *see* Shaw T R D *et al*
THURSTON H *see* Heagerty A M *et al*
THWAITES B *see* Shapiro L M *et al*
THWAITES B C (& Carreras F, Shapiro L, Castle G, Donaldson R) Assessment of pulmonary hypertension by two Doppler echocardiographic methods 650 *P*
—*see also* Carreras F *et al*
TIMMIS A D (& Crick J C P, Griffin B, Sowton E) Prevention of regional myocardial ischaemia during PTCA—the effects of infusing arterial blood 628 *P*
—(& Griffin B, Crick J C P, Sowton E) The effects of early PTCA on the clinical course of unstable angina 627 *P*
—(& Smyth P, Jewitt D E) Milrinone in heart failure. Effects on exercise haemodynamics during short term treatment 42
——(& Monaghan M, Walker L, Daly K, McLeod A A, Jewitt D E Milrinone in heart failure. Acute effects on left ventricular systolic function and myocardial metabolism 36
TINKER J *see* Cooper T J *et al*
TONKIN A M *see* Heddle W F *et al*
TOOLEY M *see* Davies D W *et al*
TORSO S DEL *see* del Torso S
TREASURE T *see* Cooper T J *et al*
Smith P L C *et al*

TROSSER A (& Khan F, Jewitt D E) Evidence that flecainide is superior to disopyramide in suppressing chronic ventricular premature complexes 644 *P*
TUNSTALL-PEDOE H Changing digoxin potency and cardiac mortality in England and Wales 1968–76 243
TURNBULL P *see* Dawson J R *et al*
TWEDDELL A (& Martin W, McGhie I, Hutton I) Is myocardial metabolism uniform? 648 *P*
—*see also* McGhie I *et al*
TWEDDEL A C *see* Simpson I A *et al*
Tan L B *et al*
TYNAN M *see* Allan L D *et al*
Ladusans E J *et al*
TYNAN M J *see* Allan L D *et al*
Reidy J F *et al*

UEBIS R *see* VON Essen R *et al*
UNDERWOOD S R Radionuclide ventriculography in coronary artery disease: correspondence 658
—(& Klipstein R H, Firmin D N, Fox K M, Poole-Wilson P A, Rees R S O, Longmore D B) Magnetic resonance quantification of atrial shunting and valvar regurgitation 616 *P*
—*see also* Rees R S O *et al*
UPWARD J (& Challenor V, Sutherland G R) "Physiological" tricuspid and pulmonary regurgitation: their varying incidence in a representative adult cardiac population 618 *P*
UTHER J B *see* Denniss A R *et al*

VALDIGUIE P *see* Douste-Blazy P *et al*
VAN EENIGE M J *see* Verheugt F W A *et al*
VAN EGMOND H (& Oreye W, Matthys D, Verhaaren H, Devloo-Blancquaert A) Hypoplastic left heart syndrome and 45X karyotype 653 *P*
VAN HOOGENHUYZE D C A *see* Verheugt F W A *et al*
VAN KUYK M *see* Kostucki W *et al*
VAN LAKWIJK-VONDROVICOVA E *see* Sengers R C A *et al*
VAN MERRIENBOER F *see* Kuijer P *et al*
VAN RENSBURG J P *see* Gordon N F *et al*
VEDIN A *see* Dellborg M *et al*
VENABLES A W *see* del Torso S *et al*
VERHAAREN H *see* VAN Egmond H *et al*
VERHEUGT F W A (& VAN Eenige M J, Res J C J, Simoons M L, Serruys P W, Vermeer F, VAN Hoogenhuyze D C A, Remme P J, de Zwaan C, Baer F) Bleeding complications of intracoronary fibrinolytic therapy in acute myocardial infarction. Assessment of risk in a randomised trial 455
VERMEER F *see* Verheugt F W A *et al*
VESTERLUND T (& Thomsen P E B, Hansen O K) Anomalous origin of the left coronary artery from the pulmonary artery in an adult: case report 110
VEYRAT C (& Witchitz S, Lessana A, Amour A, Abitbol G, Kalmanson D) Valvar prosthetic dysfunction. Localisation and evaluation of the dysfunction using the Doppler technique 273
VINCENT R *see* Lewis S *et al*
Tayler D I & Vincent R
VLIETSTRA R E *see* Sugrue D D *et al*
VON ARNIM T (& Höfling B, Schreiber M) Characteristics of episodes of ST elevation or ST depression during ambulatory monitoring in patients subsequently undergoing coronary angiography 484
VON ESSEN R (& Schmidt W, Uebis R, Edelmann B, Effert S, Silny J, Rau G) Myocardial infarction and thrombolysis. Electrocardiographic short term and long term results using precordial mapping 6
VONDROVICOVA E VAN LAKWIJK- *see* VAN Lakwijk-Vondrovicova E

WAGENVOORT C A Management of primary pulmonary hypertension: correspondence 554
—*see also* Yamaki S & Wagenvoort C A
WAINWRIGHT R J *see* Davies D W *et al*
WALESBY R K *see* Kay P H *et al*
WALKER J *see* Cheesman M G *et al*
WALKER L *see* Timmis A D *et al*
WALKER P R *see* Papouchado M *et al*
WALTON S (& Costa D C, Ell P J, Emanuel R W) Myocardial imaging with iodine-123 meta-iodobenzylguanidine 617 *P*
WANN L S *see* Daley P J *et al*
WARNES C *see* Somerville J & Warnes C
WARNES C A (& Somerville J) The fate of adults with tricuspid atresia and normally related great arteries 640 *P*
WEBB-PEPLOE M M *see* Dawson J R *et al*
Joy M *et al*
WEIL J (& Lang R E, Brangenberg R, Sebening W, Döhlemann C, Bühlmeyer K) Atrial distension may be a stimulus for the release of atrial natriuretic peptide in children with cardiac diseases 624 *P*
WEISSBERG P L *see* Smith S A *et al*
WESTABY S *see* Ribeiro P *et al*
WESTGATE C *see* Crake T *et al*
Shapiro L M *et al*
WHEATLEY D J *see* Simpson I A *et al*
WHITFIELD A G W Bicentenary of *An Account of the Foxglove* 253
WIESHAMMER S (& Delagardelle C, Sigel H A, Henze E, Adam W E, Stauch M) Radionuclide ventriculography in coronary artery disease: correspondence reply 658
WILLIAMS B C *see* Shaw T R D *et al*
WILLIAMS D G (& Olsen E G J) Prevalence of overt dilated cardiomyopathy in two regions of England 153
WILLIAMS E D *see* Gibson C J *et al*
WILSON A G *see* Dawkins K D *et al*
WILSON N *see* Goldberg S J *et al*
WILSON P A POOLE- *see* Poole-Wilson P A
WILSON J *see* Cleland J *et al*
WINKLER C *see* Reske S N *et al*
WITCHITZ S *see* Veyrat C *et al*
WLADIMIROFF J W *see* Stewart P A *et al*
WOOD D *see* Savill J *et al*
WRAIGHT E P *see* Ormerod O J M *et al*
Stone D L *et al*
Taylor N C *et al*
WREN C (& Campbell R W F, Hunter S) Role of echocardiography in differential diagnosis of broad complex tachycardia 166
WRIGHT B Y *see* Sanderson J E *et al*
WRIGHT C *see* Levy R D *et al*
Quyyumi A A *et al*
WRIGHT C A *see* Quyyumi A A *et al*
WRIGHT C M *see* Quyyumi A A *et al*
WRIGHT J E C *see* Kay P H *et al*
WYSE R K H *see* Ortiz E *et al*
Robinson P J *et al*

YACOUB M *see* Quyyumi A A *et al*
YACOUB M H *see* Gibbs J L *et al*
Mitchell A G & Yacoub M H
Yusuf S *et al*
YAMAKI S (& Wagenvoort C A) Comparison of primary plexogenic arteriopathy in adults and children. A morphometric study in 40 patients 428
YUSHAK M *see* Packer M *et al*
YUSUF S (& Mitchell A, Yacoub M H) Interrelation between donor and recipient heart rates during exercise after heterotopic cardiac transplantation 173
ZAIBAG M AL *see* Al Zaibag M
ZERBE F (& Ponizyński A, Dyszkiewicz W, Ziemiański A, Dzięgielewski T, Krug H) Functionless retained pacing leads in the cardiovascular system. A complication of pacemaker treatment 76
ZEZULKA A *see* Petri M P *et al*
ZHANG Y (& Ihlen H, Myhre E, Levorstad K, Nitter-Hauge S) Measurement of mitral regurgitation by Doppler echocardiography 384
ZIEMIAŃSKI A *see* Zerbe F *et al*
ZWAAN C DE *see* Zwaan C

SUBJECT INDEX

1985, Volume 54

Ablation with low energies, AV nodal conduction (Boyd *et al*). 651 *P*

Absent pulmonary valve syndrome, surgical treatment (de Leval *et al*). 629 P

Ambulatory monitoring, characteristics of episodes of ST elevation or ST depression during (von Arnim *et al*). 484

Ambulatory pulmonary artery pressure monitoring, in angina pectoris evaluation (Levy *et al*). 643 *P*

Ambulatory pulmonary artery pressure monitoring, and significance of painless ST segment depression (Levy *et al*). 623 *P*

Amiodarone, effect on arrhythmia and left ventricular function in heart failure (Cleland *et al*). 647 *P*

Amiodarone, effect on pulmonary function (Higginson *et al*). 612 *P*

for improved survival in hypertrophic cardiomyopathy and ventricular tachycardia: correspondence (Crick: McKenna). 550

and sotalol, in ischaemic myocardium, contrasting effects (Cobbe & Manley). 645 *P*

Aneurysm, left ventricular, the Wessex experience (Keenan *et al*). 269

Angina pectoris

acute, functional effects of regional left ventricular asynchrony during (Dawson & Gibson). 621 *P*

ambulatory pulmonary artery pressure monitoring evaluation (Levy *et al*). 643 *P*

complicated by arrhythmias, effect of percutaneous transluminal coronary angioplasty (Molajo *et al*). 375

exertional and rest, effects of beta blocker, calcium antagonist, and nitrate (Quyyumi *et al*). 643 *P*

importance of chest pain in determining degree of ischaemia (Quyyumi *et al*). 22

and myocardial revascularisation (Quyyumi *et al*). 557

with normal coronary arteries, effects of vasodilators on exercise capacity and myocardial oxygen supply (Bugiardini *et al*). 610 *P*

post-myocardial infarction, natural history (Daly *et al*). 610 *P*

refractory variant, management with benzhexol hydrochloride (trihexyphenidyl hydrochloride): case report (Joy *et al*). 448

reoperation after previous aorto-coronary bypass surgery; correspondence (Freeman & Nixon: Pidgeon). 552

unstable, effects of early PTCA on clinical course (Timmis *et al*). 627 *P*

and sudden ischaemic death, intramyocardial platelet emboli (Davies & Thomas). 636 *P*

Angiocardiography and cross sectional echocardiography, correlation in criss cross hearts (Robinson *et al*). 61

Angiography, coronary, reverse delta wave as reliable sign of impending ventricular fibrillation (Crick). 645 *P*

Angioplasty

balloon, in congenital heart disease (Miller). 285

percutaneous transluminal coronary *see* Percutaneous transluminal coronary angioplasty

Angiotensin converting enzyme inhibitors, in heart failure (Dollery & Corr). 234

Aorta, Aortic

arch interrupted, management (Bunton *et al*). 625 *P*

persistent left sided fifth, neonate: case report (Cabrera *et al*). 105

ascending Doppler measurement during exercise (Daley *et al*). 562

compliance, mitral valve prolapse, and skin collagen, in joint hypermobility syndrome (Handler *et al*). 501

left ventricular tunnel, management: case report (Ribeiro *et al*). 333

regurgitation, assessment of ventricular function by phase analysis of equilibrium radionuclide ventriculography (Ormerod *et al*). 638 *P*

captopril mediated decrease (Reske *et al*). 415

stenosis, in adults, measured by Doppler echocardiography (Hengrenaes & Hatle). 396

beneficial effect of beta blockade (Stockins *et al*). 655 *P*

valvar, and hypertrophic cardiomyopathy, comparison of ejection dynamics (Stockins *et al*). 621 *P*

Aortic valve replacement, post-pericardiotomy syndrome and coronary occlusion after, association between: case report (de Scheerder *et al*). 445

prolapse, prevalence and clinical significance (Shapiro *et al*). 179

Aortitis, diffuse non-specific, with multiple saccular aneurysms and aorto-enteric fistula: case report (Mukhopadhayay *et al*). 102

Aortocoronary bypass surgery, reoperation for angina: correspondence (Freeman & Nixon: Pidgeon). 552

see also Coronary artery bypass

Aortography, descending, with balloon inflation (Rao). 527

Apolipoprotein B values, skin, in normocholesterolaemic patients with coronary artery disease, a discriminatory test: correspondence (Douste-Blazy *et al*). 452

Arrhythmias

atrial, after cardiopulmonary bypass, sotalol in (Campbell *et al*). 86

complicating angina, effect of percutaneous transluminal coronary angioplasty (Molajo *et al*). 375

in hypertrophic cardiomyopathy, children and adolescents, incidence and relation to prognosis (McKenna *et al*). 632 *P*

and left ventricular function, in heart failure, effect of amiodarone (Cleland *et al*). 647 *P*

and left ventricular hypertrophy in essential hypertension (McLenachan *et al*). 645 *P*

ventricular, spontaneous variability and effect on optimal duration of electrocardiographic monitoring required (Mulrow *et al*). 644 *P*

Artefactual ST segment abnormalities, due to electrocardiograph design (Tayler & Vincent). 121

Arteriograms, coronary, routine diagnostic, for regional myocardial shortening assessment (Perry & Shiu). 620 *P*

Aspirin treatment, and prostacylcin production in saphenous vein (Angelini *et al*). 636 *P*

Atenolol, effect on physiological response to exercise (Gordon *et al*). 96

Atheromatous wall, ultraviolet laser wavelengths selected for (Barker *et al*). 635 *P*

Atrial

distension, stimulus for release of atrial natriuretic peptide, in children with cardiac diseases (Weil *et al*). 624 *P*

fibrillation, and chronic nicotine ingestion: case report (Stewart & Catterall). 222

induced by implanted automatic defibrillator: case report (Jordaens *et al*). 605

in Wolff-Parkinson-White syndrome, effect of exercise on ventricular response (Crick *et al*). 80

septal defect, functional and anatomical correlates, echocardiography (Forfar & Godman). 193

preoperative and post-operative pulmonary function tests, relation to pulmonary artery pressure and pulmonary: systemic flow ratio (Schofield *et al*). 577

shunting and valvar regurgitation, magnetic resonance quantification (Underwood *et al*). 616 *P*

spleen, right, presenting as atrial tumour: case report (Kuijer *et al*). 337

stimulation, sinus node sequences after, similarities of effects of different methods (Heddle *et al*). 568

Atrioventricular
conduction, transvenous fulguration of, exercise capacity and heart rhythm following (Schofield *et al*). 614 *P*
re-entry tachycardia, adaptation of overdrive pacing rate for termination with change in posture, relevance for automatic software pacemakers (Rowland *et al*). 642 *P*
and sinoatrial block, in thyrotoxic crisis: case report (Kramer *et al*). 600

Balloon
inflation, and descending aortography (Rao). 527
valvuloplasty and angioplasty, in congenital heart disease (Miller). 285
valvuloplasty, percutaneous, for pulmonary valve stenosis, infants and children (Sullivan *et al*). 435
Behçet's disease, valve prolapse (Lu-Li *et al*). 100
Benzhexol hydrochloride (trihexyphenidyl hydrochloride), in management of refractory variant angina: case report (Joy *et al*). 448
Beta blockade
in aortic stenosis, beneficial effect (Stockins *et al*). 655 *P*
compared with flecainide, in ventricular response during exercise in established atrial fibrillation in digitalised patients (Agarwal *et al*). 611 *P*
effect on potassium homoeostasis following myocardial infarction (Petri *et al*). 646 *P*
calcium antagonist, and nitrate, in exertional and rest angina (Quyyumi *et al*). 643 *P*
Bleeding complications of intracoronary fibrinolytic therapy, in myocardial infarction, assessment of risk in a randomised trial (Verheugt *et al*). 455
Blood
coronary, transit, effects of nifedipine assessed by parametric digital subtraction angiography (Hayward *et al*). 650 *P*
pressure, linoleic acid, leucocyte sodium transport, and free calcium (Heagerty *et al*). 635 *P*
Breathlessness, in chronic heart failure, origins (Lipkin & Poole-Wilson). 609 *P*
Budgeting, clinical, in cardiology and cardiac surgery (Parker *et al*). 631 *P*

Calcitonin gene related peptide, and coronary vasodilatation (McEwan *et al*). 643 *P*
Calcium
antagonist, beta blocker, and nitrate, in exertional and rest angina (Quyyumi *et al*). 643 *P*
blockade, attenuation of abnormal response to cold pressor stimulation in ischaemia and normal coronary arteries (Dymond *et al*). 637 *P*
free, linoleic acid, leucocyte sodium transport, and blood pressure (Heagerty *et al*). 635 *P*
role in induction of cardiac hypertrophy and myofibrillar disarray (Pearce *et al*). 420
Captopril
adding, or increasing diuretics, in moderate cardiac failure (Cowley *et al*). 638 *P*
concentrations, plasma free, during short and long term treatment with oral captopril for heart failure (Shaw *et al*). 160
mediated decrease of aortic regurgitation (Reske *et al*). 415
Cardiac
failure *see* Heart failure
hypertrophy, hypertrophic cardiomyopathy, and hyperparathyroidism, an association (Symons *et al*). 539
infarction, treated with intravenous streptokinase, follow up to two years in 108 patients (O'Keeffe *et al*). 619 *P*
mortality, and changing digoxin potency, England and Wales 1968–76 (Tunstall-Pedoe). 243
rejection from intramyocardial markers, functional correlates (Amende *et al*). 653 *P*
surgery, prostacyclin therapy during (Fessatidis *et al*). 629 *P*
subpulmonary pleural effusions after, children (O'Callaghan *et al*). 593
transplantation: correspondence (Hess). 555
heterotopic, interrelation between donor and recipient heart rates during exercise after (Yusuf *et al*). 173
orthotopic, conduction between donor and recepient atria following (Mitchell & Yacoub). 615 *P*
tumour, with characteristics of splenic tissue: case report (Kuijer *et al*). 337
Cardiomyopathy, familial right ventricular dilated (Ibsen *et al*). 156
overt dilated, prevalence in two regions of England (Williams & Olsen). 153
see also Hypertropic cardiomyopathy
Cardiopulmonary bypass
atrial arrhythmias after, sotalol in (Campbell *et al*). 86
hypertension after, factors relating to development (Cooper *et al*). 91
Cardiovascular fitness, improving coronary risk profile (Findlay *et al*). 656 *P*
Cardioversion, temporary transvenous, for recurrent ventricular tachyarrhythmias (Lewis *et al*). 612 *P*
Cataract, congenital, hypertrophic cardiomyopathy associated with mitochondrial myopathy of voluntary muscles (Sengers *et al*). 543
Catheterisation, cardiac, data, and Doppler estimates of aortic flow velocities, pitfalls in comparison (Carreras *et al*). 649 *P*
Cerebral consequences of coronary artery surgery (Smith *et al*). 630 *P*
Chest pain, importance in determining degree of ischaemia in angina pectoris (Quyyumi *et al*). 22
Chylopericardium, rare complication of a Waterston shunt: case report (Hamilton *et al*). 548
Cold pressor stimulation, attenuation by calcium blockade of abnormal response in ischaemia and normal coronary arteries (Dymond *et al*). 637 *P*
Collagen, skin, mitral valve prolapse, and aortic complicance, in joint hypermobility syndrome (Handler *et al*). 501
Computed tomography, urine, to estimate coronary artery bypass graft patency (Rees *et al*). 655 *P*
Conduction between donor and recipient atria, following orthotopic cardiac transplantation (Mitchell & Yacoub). 615 *P*
Congenital heart disease
children, prostacyclin in enhancement of selective pulmonary vasodilator effect of oxygen (Bush *et al*). 625 *P*
different types, lung biopsies, computed-assisted structural and functional correlations (Hayworth) 625 *P*
embolisation procedures (Reidy *et al*). 184
familial recurrence (Allen *et al*). 613 *P*
spectrum detected echocardiographically in prenatal life (Allan *et al*). 523
first year of life, necropsy study (Hegerty *et al*). 583
Coronary
artery bypass surgery, graft assessment, digital subtraction angiography, clinical applicability (Hayward & Hunter) 357
patency estimation, by cine computed tomography, sensitivity and specificity (Rees *et al*). 655 *P*
and hyperlipidaemia: correspondence (Singh & Sosa: Thompson & Sapsford). 453
to right coronary artery, with and without endarterectomy, patency at one year (Kay *et al*). 489
left ventricular aneurysmectomy and improvement of ventricular function (Taylor *et al*). 145
neurological complications (Shaw *et al*). *P*
see also Aortocoronary bypass
new septal wall motion abnormalities, role of transient ischaemia and perioperative myocardial infarction (Ribeiro *et al*). 140
reoperation for angina: correspondence (Freeman & Nixon: Pidgeon). 552
right, with and without endarterectomy, patency at one year (Kay *et al*). 489

artery disease, detection, exercise technetium ventriculography and exercise thallium imaging compared (McGhie *et al*). 617 *P*
lipoprotein profiles in veteran endurance athletes and age matched subjects (Northcote *et al*). 647 *P*
prevention and screening, strategies: editorial (Oliver). 1
and radionuclide ventriculography: correspondence (Underwood: Wieshammer *et al*). 658
skin apolipoprotein B values in normocholesterolaemic patients, a discriminatory test: correspondence (Douste-Blazy *et al*). 452
three vessel, coronary anatomy in various manifestations of (Quyyumi *et al*). 362
ectasia, prevalence and clinical significance in 4993 patients (Hartnell *et al*). 392
left, anomalous origin, from pulmonary artery, adult: case report (Vesterlund *et al*). 110
anomalous origin from pulmonary artery: ligation versus establishment of two coronary systems (Burton *et al*). 624 *P*
main stem, stenosis (Cheesman *et al*). 631 *P*
normal, and ischaemia, attenuation by calcium blockade of abnormal response to cold pressor stimulation (Dymond *et al*). 637 *P*
occlusion, acute, during percutaneous transluminal coronary angioplasty (Shiu *et al*). 129
and post-pericardiotomy syndromes, after aortic replacement, association between: case report (de Scheerder *et al*). 445
perforation, benign, during percutaneous transluminal coronary angioplasty (Meier). 33
surgery, cerebral consequences (Smith *et al*). 630 *P*
trials, practical implications: review (Julian). 343
thrombus, risk factor for acute vessel occlusion during percutaneous transluminal coronary angioplasty, improving results (Sugrue *et al*). 627 *P*
blood transit, effects of nifedipine assessed by parametric digital subtraction angiography (Hayward *et al*). 650 *P*
ostial stenosis, isolated, a previously unrecognised clinical syndrome (Miller *et al*). 611 *P*
sinus, left of Valsalva *see* Valsalva, left coronary sinus
stenoses, multiple, and percutaneous transluminal coronary angioplasty (Ilsley & Ablett). 627 *P*
vasodilatation by calcitonin gene related peptide (McEwan *et al*). 643 *P*
Corrections 114
Correspondence
Cardiac transplantation (Hess). 555
Coronary artery bypass grafting and hyperlipidaemia (Singh & Sosa: Thompson & Sapsford). 453
Improved survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia (Crick: McKenna). 550
Lead specificity of the maximum ST/heart rate/slope response (Layton). 554
Left ventricular gradients in hypertrophic cardiomyopathy (Pollick: McKenna & Sugrue). 113
Management of primary pulmonary hypertension (Wagenvoort: Oakley). 554
Pathways of preferential arterial conduction (Anderson & Becker). 226
Radionuclide ventriculography in coronary artery disease (Underwood: Wieshammer *et al*). 658
Reoperation for angina after previous aortocoronary bypass surgery (Freeman & Nixon: Pidgeon). 552
Skin apolipoprotein B values in normocholesterolaemic patients with coronary artery disease: a discriminatory test? (Douste-Blazy *et al*). 452
Criss cross hearts, cross sectional echocardiography and angiocardiography, correlation (Robinson *et al*). 61
Cross sectional echocardiography
and angiocardiography, correlation in criss cross hearts (Robinson *et al*). 61
and colour Doppler, superimposed, simultaneous display, and localisation of ventricular septal defects (Ortiz *et al*). 53
segmental wall motion analysis, reproducibility and sources of variability (Peart *et al*). 617 *P*

DDD pacemakers and myopotential sensing (Sanderson *et al*). 651 *P*
Death, sudden cardiac
ischaemic heart disease and prodromes (Madsen). 27
and unstable angina, intramyocardial platelet emboli (Davies & Thomas). 636 *P*
postmortem coronary arteriography following (Dawkins *et al*). 611 *P*
Defibrillator, automatic, implanted, inducing atrial fibrillation, efficacy: case report (Jordaens *et al*). 605
Diabetes
and impairment of left ventricular function, evidence for specific heart muscle disease (Fisher *et al*). 656 *P*
myocardial infarct size and mortality (Gwilt *et al*). 466
Digital subtraction angiography in coronary artery bypass graft assessment, clinical applicability (Hayward & Hunter). 357
Digitalis
bicentennial celebrations of *Withering, William: An account of the Foxglove* 251
and cardiac glycosides (Hollman). 258
Digitalis lanata, cultivation and breeding, Netherlands (Mastenbroek). 262
where are we now: editorial (Chamberlain). 227
Withering and the foxglove: the making of a myth (Krikler). 256
Digoxin
in heart failure (Dollery & Corr). 234
potency, changes, and cardiac mortality, England and Wales 1968–76 (Tunstall-Pedoe). 243
rapid plasma, assay, in outpatients, useful routine technique (Savill *et al*). 248
Disopyramide and flecainide compared, in suppressing chronic ventricular premature complexes (Trosser *et al*). 644 *P*
Diuretic(s)
induced hypokalaemia, arrhythmogenic potential, in mild hypertension and ischaemic heart disease (Stewart *et al*). 290
increasing, or adding captopril, in moderate cardiac failure, comparison (Cowley *et al*). 638 *P*
resistant cardiac failure, fluid removal by haemofiltration: case report (Morgan *et al*). 218
Dopexamine, acute haemodynamic and metabolic effects of new dopaminergic receptor agonist, in chronic heart failure (Dawson *et al*). 313
Doppler echocardiography
colour, and cross sectional echocardiographic images, superimposed, simultaneous display, and localisation of ventricular septal defects (Ortiz *et al*). 53
evaluation of aortic flow velocities and cardiac catheterisation data, pitfalls in comparison (Carreras *et al*). 649 *P*
of discrete subvalvar and multilevel outflow tract obstruction, congenital heart disease (Sutherland *et al*). 626 *P*
of elliptical area technique for calculating mitral blood flow (Goldberg *et al*). 68
investigational bioprosthetic valve replacement, 155 patients (Simpson *et al*). 631 *P*
of pressure gradient in infundibular pulmonary stenosis (Houston *et al*). 618 *P*
surgical shunt patency (Mulholland & Shields). 639 *P*
following anatomical correction of transposition of great arteries (Gibbs *et al*). 652 *P*
investigations, two dimensional and pulsed, in early systolic murmurs, children (Jordan). 618 *P*
measurement in ascending aorta during exercise (Daley *et al*). 562

measuring aortic stenosis in adults (Hegrenae & Hatle). 396
measuring changes in left ventricular stroke volume (Ihlen *et al*). 378
measuring mitral regurgitation (Zhang *et al*). 384
for non-invasive haemodynamic assessment of mitral prosthetic function (Simpson *et al*). 648 *P*
technique, in localisation and evaluation of valvar prosthetic dysfunction (Veyrat *et al*). 273
two methods, pulmonary hypertension assessment (Thwaites *et al*). 650 *P*
Double outlet right ventricle
early prenatal detection by echocardiography: case report (Stewart *et al*). 340
and transposition of great arteries, anatomic correction, early and intermediate structural and functional considerations (Lincoln *et al*). 639 *P*
Drug treatment, heart failure (Dollery & Corr). 234

Ebstein's anomaly, diagnosis and natural history (Radford *et al*). 517
Echocardiography
changing features of hydatid cyst of heart: case report (Kostucki *et al*). 224
to detect spectrum of congenital heart disease in prenatal life (Allan *et al*). 523
for early prenatal detection of double outlet right ventricle: case report (Stewart *et al*). 340
functional and anatomical correlates in atrial septal defect (Forfar & Godman). 193
role in differential diagnosis of broad complex tachycardia (Wren *et al*). 166
sensitivity in infective endocarditis (Nihoyannopoulos *et al*). 648 *P*
in tuberous sclerosis (Gibbs). 653 *P*
Editorials
Digitalis: where are we now? (Chamberlain) 227
Do we need a new standard for electrocardiographs? (Gold). 119
Strategies for preventing and screening for coronary heart disease (Oliver). 1
The challenge and the reproach of infective endocarditis (Goodwin). 115
Eisenmenger's syndrome, and heart-lung transplantation (McGregor *et al*). 630 *P*
Ejection dynamics, in hypertrophic cardiomyopathy and valvar aortic stenosis compared (Stockins *et al*). 621 *P*
Electrocardiograph, Mason-Likar "modified" exercise, essentially identical to 12 standard leads (Papouchado *et al*). 523 *P*
Electrocardiography
new standard: editorial (Gold). 119
ambulatory, in tuberous sclerosis (Gibbs). 653 *P*
Emboli, platelet, intramyocardial, in unstable angina and sudden ischaemic death (Davies & Thomas) 636 *P*
Embolisation procedures, in congenital heart disease (Reidy *et al*). 184
Emphysema, surgical, causing permanant pacemaker failure: case report (Smith *et al*). 220
Enalapril
in congestive cardiac failure, controlled trial (McGrath *et al*). 405
effects in heart failure (Cleland *et al*). 305
effects on renal function in heart failure (Cleland *et al*). 655 *P*
Endocarditis, infective (bacterial) *see* Infective endocarditis
Epoprostenol *see* Prostacyclin
Exercise
ascending aorta during, Doppler measurement (Daley *et al*). 562
electrophysiology in Wolff-Parkinson-White syndrome (Crick *et al*). 80
physiological response, effect of atenolol (Gordon *et al*). 96
radionuclide ventriculography, children, normal values for exercise variables and right and left ventricular function (Parrish *et al*). 509
testing, six weeks and 18 months after myocardial infarction, patients under 55 years (Peart *et al*). 622 *P*
ten days and three months after myocardial infarction compared, relation to pattern of coronary disease (Pumphrey *et al*). 623 *P*
transient Q waves followed by left anterior fascicular block during: case report (Rebuzzi *et al*). 107
ventriculography and exercise thallium imaging compared (McGhie *et al*). 617 *P*
see also other methods of testing and indications

Fibrillation
atrial, in Wolff-Parkinson-White syndrome, effect of exercise on ventricular response (Crick *et al*). 80
ventricular, in right coronary angiography, reverse delta wave as reliable sign (Crick). 645 *P*
Fibrinolytic therapy, intracoronary, in myocardial infarction, bleeding complications (Verheugt *et al*). 455
Flecainide
compared with beta blockade, in ventricular response during exercise in established atrial fibrillation in digitalised patients (Agarwal *et al*). 611 *P*
and disopyramide compared, in suppressing chronic ventricular premature complexes (Trosser *et al*). 644 *P*
Four dimensional cardiac imaging (Smith & Quarendon). 616 *P*
Foxglove *see* Digitalis

Glycosides, cardiac
in exertion of positive inotropism in sinus rhythm (Tan *et al*). 654 *P*
and plants (Hollman). 258
Gold-195m, in quantification of intracardiac shunts, new radionuclide with short half life (Stone *et al*). 495

Haemofiltration, for fluid removal in diuretic resistant cardiac failure: case report (Morgan *et al*). 218
Heart failure
acute haemodynamic and metabolic effects of dopexamine, new dopaminergic receptor agonist (Dawson *et al*). 313
chronic ischaemic, factors influencing survival and mode of death (Glover & Littler). 613 *P*
congestive, controlled trial of enalapril (McGrath *et al*). 405
diuretic resistant, fluid removal by haemofiltration: case report (Morgan *et al*). 218
drug treatment (Dollery & Corr). 234
effect of amiodarone on arrhythmia and left ventricular function (Cleland *et al*). 647 *P*
effects of enalapril (Cleland *et al*). 305: 655 *P*
milrinone in: part I. Acute effects on left ventricular systolic function and myocardial metabolism (Timmis *et al*). 36, part II. Effects on exercise haemodynamics during short term treatment (Timmis *et al*). 42
moderate, increasing diuretics or adding captopril, comparison (Cowley *et al*). 638 *P*
origins of breathlessness (Lipkin & Poole-Wilson). 609 *P*
plasma free captopril concentrations during short and long term treatment with oral captopril (Shaw *et al*). 160
severe, maximal force, fibre type, and enzymatic activity in quadriceps, mechanism for reduced exercise capacity (Lipkin *et al*). 622 *P*
Heart-lung transplantation, for Eisenmenger's syndrome (McGregor *et al*). 630 *P*
Heart muscle disease, specific, and impairment of left ventricular function in diabetes (Fisher *et al*). 656 *P*
Heart rates, donor and recipient, during exercise after heterotopic cardiac transplantation (Yusuf *et al*). 173
Hydatid cyst of heart, changing echocardiographic features: case report (Kostucki *et al*). 224
Hypercalcaemia
idiopathic infantile, and associated cardiac anomalies, clinical and echocardiographic study (Balaram *et al*). 652 *P*

cardioplegic sodium and damage to vascular endothelium, studies on vascular responsiveness, rat heart (Saldanha *et al*). 654 *P*
intracoronary, localised, risk of laser angioplasty (Bowker *et al*). 637 *P*
Hyperlipidaemia, and coronary artery bypass grafting: correspondence (Singh & Sosa: Thompson & Sapsford). 453
Hyperparathyroidism, cardiac hypertrophy, and hypertrophic cardiomyopathy, an association (Symons *et al*). 539
Hypertension
after cardiopulmonary bypass, factors relating (Cooper *et al*). 91
essential, and arrhythmias and left ventricular hypertrophy. (McLenachan *et al*). 645 *P*
mild, inappropriate left ventricular hypertrophy in, echocardiographic study, middle aged subjects (Crake *et al*). 649 *P*
and ischaemic heart disease, arrhythmogenic potential of diuretic induced hypokalaemia (Stewart *et al*). 290
prevalence in habitually salted-tea drinkers, Northern Kashmir (Mir *et al*). 613 *P*
pulmonary, assessment by two Doppler echocardiographic methods (Thwaites *et al*). 650 *P*
Hypertrophic cardiomyopathy
arrhythmia in children and adolescents, incidence and relation to prognosis (McKenna *et al*). 632 *P*
cardiac hypertrophy, and hyperparathyroidism, an association (Symons *et al*). 539
haemodynamic and symptomatic improvements using dual chamber pacing (Erwin *et al*). 641 *P*
left ventricular gradients: correspondence (Pollick: McKenna & Sugrue). 113
and mitochondrial myopathy of voluntary muscles, and congenital cataract (Sengers *et al*). 543
and myofibrillar disarray, role of calcium (Pearce *et al*). 420
nuclear magnetic resonance in (Been *et al*). 48
simulating an infiltrative myocardial disease: case report (Frustaci *et al*). 329
and valvar aortic stenosis, comparison of ejection dynamics (Stockins *et al*). 621 *P*
and ventricular tachycardia, improved survival with amiodarone: correspondence (Crick: McKenna). 550
Hypokalaemia, diuretic induced, arrhythmogenic potential, in mild hypertension and ischaemic heart disease (Stewart *et al*). 290
Hypoplastic left heart syndrome and 45X karyotype (van Egmond *et al*). 653 *P*
Hypothermic circulatory arrest, elective, as cause of brain damage (Ekroth *et al*). 640 *P*
Hypothyroidism, and asymmetric septal hypertrophy, children (Altman *et al*). 533

Imaging, cardiac
four dimensional (Smith & Quarendon). 616 *P*
myocardial, with iodine-123 meta-iodobenzylguanidine (Walton *et al*). 617 *P*
Infarct
site, prognostic importance of exercise induced ST elevation post-infarction (Handler & Sowton). 646 *P*
size, myocardial, and mortality, diabetic patients (Gwilt *et al*). 466
Infective endocarditis
challenge and reproach: editorial (Goodwin). 115
current incidence and mortality (Skehan *et al*). 614 *P*
sensitivity of echocardiography (Nihoyannopoulos *et al*). 648 *P*
Infundibular pulmonary stenosis, Doppler estimation of pressure gradient in (Houston *et al*). 618 *P*
Inotropes, in heart failure (Dollery & Corr). 234
Inotropism, positive, in sinus rhythm, cardiac glycosides in exertion of (Tan *et al*). 654 *P*
Intracoronary thrombolysis, coronary reocclusion during, effect of nitrates (Hackett *et al*). 619 *P*
Intramyocardial markers, functional correlates of cardiac rejection (Amende *et al*). 653 *P*
Iodine-123 meta-iodobenzylguanidine, for myocardial imaging (Walton *et al*). 617 *P*
Ischaemia
and sinus node disease (Linker *et al*). 612 *P*
transient role in genesis of new septal wall motion abnormalities after coronary bypass surgery (Ribeiro *et al*). 140
Ischaemic heart disease
and mild hypertension, arrhythmogenic potential of diuretic induced hypokalaemia (Stewart *et al*). 290
and prodromes of sudden cardiac death (Madsen). 27
Ischaemic myocardium, contrasting effects of amiodarone and sotalol (Cobbe & manley). 645 *P*

Joint hypermobility syndrome, mitral valve prolapse, aortic compliance, and skin collagen in (Handler *et al*). 501

Laser
angioplasty, coronary, in vivo, acute and chronic angiographic effects (Bowker *et al*). 634 *P*
localised intracoronary hyperkalaemia risk (Bowker *et al*). 637 *P*
argon, recanalisation of acutely thrombosed coronary arteries, live dogs (Fenech *et al*). 628 *P*
wavelengths selected for atheromatous as opposed to normal arterial wall (Bowker *et al*). 635 *P*
Lead specificity, maximum ST/heart rate slope response: correspondence (Layton). 554
Left anterior fascicular block, following transient Q waves, during exercise: case report (Rebuzzi *et al*). 107
Leucocyte sodium transport, free calcium, linoleic acid, and blood pressure (Heagerty *et al*). 635 *P*
Linoleic acid, leucocyte sodium transport, free calcium, and blood pressure (Heagerty *et al*). 635 *P*
Lipoprotein profiles, in coronary artery disease, veteran endurance athletes, age matched subjects and controls (Northcote *et al*). 647 *P*
Lung biopsies, in different types of congenital heart disease, computer-assisted structural and functional correlations (Haworth). 625 *P*

Main stem stenosis, safety (Cheesman *et al*). 631 *P*
Markers, intramyocardial, functional correlates of cardiac rejection (Amende *et al*). 653 *P*
Mason-Likar "modified" exercise electrocardiograph, essentially identical to 12 standard leads (Papouchado *et al*). 623 *P*
Meta-iodobenzylguanidine, iodine-123, for myocardial imaging (Walton *et al*). 617 *P*
Milrinone, in heart failure: part I. Acute effects on left ventricular systolic function and myocardial metabolism (Timmis *et al*). 36, part II. Effects on haemodynamics during short term treatment (Timmis *et al*). 42
Mitral
blood flow, calculation by Doppler echocardiography, evaluation of elliptical area technique (Goldberg *et al*). 68
prosthetic function, non-invasive haemodynamic assessment by Doppler ultrasound (Simpson *et al*). 648 *P*
regurgitation, measurement by Doppler echocardiography (Zhang *et al*). 384
valve prolapse, aortic compliance, and skin collagen, in joint hypermobility syndrome (Handler *et al*). 501
Mustard procedure, and transposition of great arteries, adults and adolescents (Somerville & Warnes). 633 *P*
Myocardial
infarct size and mortality, diabetic patients (Gwilt *et al*). 466
infarction, acute, early recanalisation, recommendation (Hugenholtz). 636 *P*
exercise testing, six weeks and 18 months after, patients under 55 years (Peart *et al*). 622 *P*
at ten days and three months compared, relation to pattern of coronary disease (Pumphrey *et al*). 623 *P*

intracoronary fibrinolytic therapy, bleeding complications (Verheugt *et al*). 455
late potentials after, analysis of signal averaged surface electrocardiogram (Skehan *et al*). 642 *P*
left ventricular function four weeks after, effect of early treatment with propranolol (Brown *et al*). 351
non-Q-wave, classification according to electrocardiographic changes (Ogawa *et al*). 473
and percutaneous transluminal coronary angioplasty, results (Ilsley & Ablett). 620 *P*
perioperative, role in genesis of new septal wall motion abnormalities after coronary bypass surgery (Ribeiro *et al*). 140
post-, exercise induced ST elevation, prognostic importance and relation to site of infarct (Handler & Sowton). 646 *P*
potassium homoeostasis following, effect of beta blockade (Petri *et al*). 646 *P*
prognostic significance of delayed potentials and inducible ventricular tachycardia (Denniss *et al*). 609 *P*
and reciprocal ST depression (Odemuyiwa *et al*). 479
smoking and timolol (Rønnevik *et al*). 134
suitability of thrombolysis (Murray *et al*). 620 *P*
surgical versus non-surgical management (Brower *et al*). 460
and thrombolysis, ECG using precordial mapping (von Essen *et al*). 6
metabolism, uniformity (Tweddel *et al*). 648 *P*
rupture, occurrence and risk factors (Dellborg *et al*). 11
shortening, regional, assessment using routine diagnostic coronary arteriograms (Perry & Shiu). 620 *P*
Myofibrillar disarray and hypertrophic cardiomyopathy, role of calcium (Pearce *et al*). 420
Myopathy, mitochondrial, of voluntary muscles, hypertrophic cardiomyopathy, and congenital cataract (Sengers *et al*). 543
Myopotential sensing and DDD pacemakers (Sanderson *et al*). 651 *P*

Natriuretic peptide, atrial, atrial distension as stimulus for release, children with cardiac diseases (Weil *et al*). 624 *P*
Nicotine ingestion, chronic, and atrial fibrillation: case report (Stewart & Catterall). 222
Nifedipine, effects in coronary blood transit, parametric digital subtraction angiography assessment (Hayward *et al*). 650 *P*
Nitrates
beta blocker, and calcium antagonist, in exertional and rest angina (Quyyumi *et al*). 643 *P*
effect on coronary re-occlusion during intracoronary thrombolysis (Hackett *et al*). 619 *P*
Non-Q-wave myocardial infarction, classification according to electrocardiographic changes (Ogawa *et al*). 473
Notices 114, 226, 342, 454, 556, 660
Nuclear magnetic resonance
assesment of left ventricular wall motion (Rees *et al*). 650 *P*
in hypertrophic cardiomyopathy (Been *et al*). 48
quantification of atrial shunting and valvar regurgitation (Underwood *et al*). 616 *P*

Pacemakers
automatic software, relevance in adaptation of overdrive pacing rate for termination of AV re-entry tachycardia with change in posture (Rowland *et al*). 642 *P*
DDD, and myopotential sensing (Sanderson *et al*). 651 *P*
insertion and therapy in cardiothoracic centre, eleven years' experience (Greenbaum & Balcon). 615 *P*
multi-programmable, essential for pacing in children (Ladusans *et al*). 632 *P*
permanent, failure due to surgical emphysema: case report (Smith *et al*). 220
Pacing
dual chamber, in hypertrophic cardiomyopathy, haemodynamic and symptomatic improvements (Erwin *et al*). 641 *P*
leads, functionless retained, cardiovascular system, complicating pacemaker treatment (Zerbe *et al*). 76
Parametric digital subtraction angiography, and assessment of effects of nifedipine on coronary blood transit (Hayward *et al*). 650 *P*
Percutaneous transluminal coronary angioplasty
acute coronary occlusion during (Shiu *et al*). 129
in acute myocardial infarction, results (Ilsley & Ablett). 620 *P*
benign coronary perforation during (Meier). 33
coronary artery thrombus as risk factor for acute vessel occlusion during, improving results (Sugrue *et al*). 627 *P*
effect on arrhythmias complicating angina (Molajo *et al*). 375
effects on clinical course of unstable angina (Timmis *et al*). 627 *P*
emergency surgery following (Hamilton *et al*). 634 *P*
prevention of regional myocardial ischaemia during, effects of infusing arterial blood (Timmis *et al*). 628 *P*
results in multiple coronary stenoses (Ilsley & Ablett). 627
spontaneous recanalisation of side branches occluded during: case report (Shiu & Singh). 215
success and complication rates with and without previous myocardial infarction (Perry *et al*). 634 *P*
timing for assessment by exercise testing (Polydorou *et al*). 626 *P*
Persistent ductus arteriosus, technique for evaluating size (Rao). 527
Plants and cardiac glycosides (Hollman). 528
Pleural effusions, subpulmonary, after cardiac surgery, children (O'Callaghan *et al*). 593
Plexogenic arteriopathy, primary, comparison in adults and children, 40 patients (Yamaki & Wagenvoort). 428
Post-pericardiotomy syndrome and coronary occlusion after aortic valve replacement, association between: case report (de Scheerder *et al*). 445
Potassium homoeostasis following myocardial infarction, effect of beta blockade (Petri *et al*). 646 *P*
Preferential arterial conduction, pathways: correspondence (Anderson & Becker). 226
Prenatal
detection, early of double outlet right ventricle by echocardiography: case report (Stewart *et al*). 340
life, spectrum of congenital heart disease detected echocardiographically (Allan *et al*). 523
Propranolol, effect of early treatment on left ventricular function four weeks after myocardial infarction (Brown *et al*). 351
Prostacyclin
production, in saphenous vein from patients receiving aspirin (Angelini *et al*). 636 *P*
in enhancement of selective pulmonary vasodilator effect of oxygen in children with congenital heart disease (Bush *et al*). 625 *P*
therapy during cardiac surgery (Fessatidis *et al*). 629 *P*
Pulmonary
atresia, in prenatal life (Allan *et al*). 640 *P*
staged repair, non-invasive assessment of pulmonary blood supply after (del Torso *et al*). 209
blood supply, non-invasive assessment after staged repair of pulmonary atresia (del Torso *et al*). 209
function tests, preoperative and postoperative, in atrial septal defect, relation to pulmonary artery pressure and pulmonary: systemic flow ratio (Schofield *et al*). 577
hypertension, assessment by two Doppler echocardiographic methods (Thwaites *et al*). 650 *P*
primary, management: correspondence (Wagenvoort: Oakley). 554
valve stenosis, and percutaneous balloon valvuloplasty, infants and children (Sullivan *et al*). 435
vascular resistance, assessment in ventricular septal defect (Neutze *et al*). 633 *P*

Q waves, transient, followed by left anterior fascicular block during exercise: case report (Rebuzzi *et al*). 107
Quadriceps, patients with severe heart failure, maximal force, fibre

type, and enzymatic activity in, mechanism for reduced exercise capacity (Lipkin *et al*). 622 *P*

Radionuclide ventriculography
in coronary artery disease: correspondence (Underwood: Wieshammer *et al*). 658
equilibrium, phase analysis, and assessment of ventricular function in aortic regurgitation (Ormerod *et al*). 638 *P*
exercise, children, normal values for exercise variables and right and left ventricular function (Parrish *et al*). 509
Recanalisation
argon laser, acutely thrombosed coronary arteries, live dogs (Fenech *et al*). 628 *P*
early, in acute myocardial infarction, recommendation (Hugenholtz). 636 *P*
Regurgitation
aortic, assessment of ventricular function by phase analysis of equilibrium radionuclide ventriculography (Ormerod *et al*). 638 *P*
mitral, measurement by Doppler echocardiography (Zhang *et al*). 384
"physiological" tricuspid and pulmonary, varying incidence (Upward *et al*). 618 *P*
valvar, and atrial shunting, magnetic resonance quantification (Underwood *et al*). 616 *P*
Renal function in heart failure, effects of enalapril (Cleland *et al*). 655 *P*
Renin, plasma activity, in prediction of haemodynamic and clinical responses (Packer *et al*). 298
Re-occlusion, coronary, during intracoronary thrombolysis, effect of nitrates (Hackett *et al*). 619 *P*
Respiratory gas exchange, in assessment of impaired ventricular function (Lipkin *et al*). 321
Revascularisation, myocardial, in angina (Quyyumi *et al*). 557
Risk profile, coronary, cardiovascular fitness improving (Findlay *et al*). 656 *P*

Saccular aneurysm, rapid expansion on left coronary sinus of Valsalva, role for early surgical repair: case report (Faillace *et al*). 442
Salt intake, high, in tea, and prevalence of hypertension, Northern Kashmir (Mir *et al*). 613 *P*
Saphenous vein, from patients receiving aspirin, prostacyclin production (Angelini *et al*). 636 *P*
Screening, coronary heart disease, strategies: editorial (Oliver). 1
Segmental wall motion analysis of cross sectional echocardiograms, reproducibility and sources of variability (Peart *et al*). 617 *P*
Septal
hypertrophy, asymmetric, and hypothyroidism, children (Altman *et al*). 533
wall, new, motion abnormalities, after coronary bypass surgery, role of transient ischaemia and perioperative myocardial infarction (Ribeiro *et al*). 140
Shunts
intracardiac, quantification by gold-195m, new radionuclide with short half life (Stone *et al*). 495
surgical, patency, assessment by Doppler (Mulholland & Shields). 639 *P*
Sinoatrial and atrioventricular block, in thyrotoxic crisis: case report (Kramer *et al*). 600
Sinus node
disease, and ischaemia (Linker *et al*). 612 *P*
sequences, after atrial stimulation, similarities of effects of different methods (Heddle *et al*). 568
Sinus rhythm, and cardiac glycosides in exertion of positive inotropism (Tan *et al*). 654 *P*
Smoking and timolol, after myocardial infarction (Rønnevik *et al*). 134
Sotalol
and amiodarone, in ischaemic myocardium, contrasting effects (Cobbe & Manley). 645 *P*
in atrial arrhythmia, after cardiopulmonary bypass (Campbell *et al*). 86
ST segment
artefactual, abnormalities, due to electrocardiograph design (Tayler — Vincent). 121
depression, reciprocal, in myocardial infarction (Odemuyiwa *et al*). 479
painless, significance assessed by ambulatory pulmonary artery pressure monitoring (Levy *et al*). 623 *P*
elevation, exercise induced, post-infarction, prognostic importance and relation to site of infarct (Handler & Sowton). 646 *P*
or ST depression, characteristics of episodes during ambulatory monitoring (von Arnim *et al*). 484
heart rate slope response, maximum, lead specificity: correspondence (Layton). 554
Starr-Edwards
aortic valve replacement, isolated, long term evaluation (Hackett *et al*). 629 *P*
isolated mitral valve replacement, models 6400 and 6120, ten year clinical evaluation (Fessatidis *et al*). 638 *P*
Streptokinase, intravenous, for severe early cardiac infarction, follow up to two years in 108 patients (O'Keeffe *et al*). 619 *P*
Subpulmonary pleural effusions, after cardiac surgery, children (O'Callaghan *et al*). 593
Subvalvar, discrete, and multilevel outflow tract obstruction, congenital heart disease, Doppler evaluation (Sutherland *et al*). 626 *P*
Surgical versus non-surgical management, soon after myocardial infarction (Brower *et al*). 460
Tachyarrhythmias, ventricular, recurrent, temporary transvenous cardioversion for (Lewis *et al*). 612 *P*
Tachycardia
broad complex, role of echocardiography in differential diagnosis (Wren *et al*). 166
ventricular, automatic diagnosis by new methods of electrogram analysis (Davies *et al*). 641 *P*
improved survival with amiodarone: correspondence (Crick: McKenna). 550
Thallium-201, to coronary arteries, new technique for showing relation of tomographic myocardial perfusion images (Gibson *et al*). 367
Thrombolysis
intracoronary, coronary reocclusion during, effect of nitrates (Hackett *et al*). 619 *P*
and myocardial infarction, ECG using precordial mapping (von Essen *et al*). 6
suitability in myocardial infarction (Murray *et al*). 620 *P*
Thyrotoxic crisis, atrioventricular and sinoatrial block: case report (Kramer *et al*). 600
Transplantation, cardiac *see* Cardiac transplantation
Transplantation, heart-lung, for Eisenmenger's syndrome (McGregor *et al*). 630 *P*
Timolol and smoking, after myocardial infarction (Rønnevik *et al*). 134
Transposition of great arteries
after Mustard procedure, adults and adolescents (Somerville & Warnes). 633 *P*
anatomical correction, Doppler echocardiography following (Gibbs *et al*). 652 *P*
complete, with intact ventricular septum, left ventricular outflow tract obstruction, cross sectional echocardiography study (Robinson *et al*). 201
and DORV, anatomic correction, early and intermediate structural and functional considerations (Lincoln *et al*). 639 *P*
Transvenous fulguration of atrioventricular conduction, exercise capacity and heart rhythm following (Schofield *et al*). 614 *P*
Tricuspid atresia and normally related great arteries, fate of adults (Warnes & Somerville). 640 *P*

Tuberculoma, myocardial, with rupture and pseudoaneurysm formation, successful surgical treatment: case report (Halim *et al*). 603
Tuberous sclerosis
echocardiography and ambulatory electrocardiography (Gibbs). 653 *P*
and the heart, echocardiographic and electrocardiographic study (Gibbs). 596
Two dimensional and pulsed Doppler investigations, early systolic murmurs, children (Jordan). 618 *P*

Valsalva, left coronary sinus, and rapid expansion of a saccular aneurysm, role for early surgical repair: case report (Faillace *et al*). 442
Valves(s)
prosthetic dysfunction, localisation and evaluation using Doppler technique (Veyrat *et al*). 273
regurgitation and atrial shunting, magnetic resonance quantification (Underwood *et al*). 616 *P*
prolapse, in Behçet's disease (Lu-Li *et al*). 100
replacement, bioprosthetic, degeneration, aortic versus mitral position compared (Ribeiro *et al*). 630 *P*
investigational, Doppler ultrasound assessment, 155 patients (Simpson *et al*). 631 *P*
mitral, isolated, Starr-Edwards models 6400 and 6120, ten year clinical evaluation (Fessatidis *et al*). 638 *P*
Valvuloplasty, balloon, in congenital heart disease (Miller). 285
Vascular endothelium, damage, and hyperkalaemic cardioplegic solutions, studies on vascular responsiveness, rat heart (Saldanha *et al*). 654 *P*
Vasodilation therapy, in heart failure (Dollery & Corr). 234
Ventricle, ventricular
arrhythmia, spontaneous variability and effect on optimal duration of electrocardiographic monitoring required (Mulrow *et al*). 644 *P*
fibrillation, low energy endocardial countershock for treatment (Nathan *et al*). 615 *P*
in right coronary angiography, reverse delta wave as reliable sign (Crick). 645 *P*
function, impaired, respiratory gas exchange in assessment (Lipkin *et al*). 321
left aneurysm, the Wessex experience (Keenan *et al*). 269
aneurysmectomy, and improvement of ventricular function in coronary bypass surgery (Taylor *et al*). 145
asynchrony, regional, during acute angina, functional effects (Dawson & Gibson). 621 *P*
dysfunction, effect of xamoterol (Molajo & Bennett). 17
function and arrhythmia, in heart failure, effect of amiodarone (Cleland *et al*). 647 *P*
four weeks after myocardial infarction, effect of early treatment with propranolol (Brown *et al*). 351
impairment in diabetics, evidence for specific heart muscle disease (Fisher *et al*). 656 *P*
gradients, in hypertrophic cardiomyopathy: correspondence (Pollick: McKenna & Sugrue). 113
hypertrophy and arrhythmias in essential hypertension (McLenachan *et al*). 645 *P*
inappropriate, in mild hypertension, echocardiographic study, middle aged subjects (Crake *et al*). 649 *P*
outflow tract obstruction, in complete transposition of the great arteries with intact ventricular septum, cross sectional echocardiography study (Robinson *et al*). 201
stroke volume changes measured by Doppler echocardiography (Ihlen *et al*). 378
wall motion, magnetic resonance assessment (Rees *et al*). 650 *P*
premature complexes, chronic, suppression, flecainide and disopyramide compared (Trosser *et al*). 644 *P*
septal defect, assessment of pulmonary vascular resistance (Neutze *et al*). 633 *P*
localisation by simultaneous display of superimposed colour Doppler and cross sectional echocardiographic images (Ortiz *et al*). 53
supernormal period, clinical significance in man (Butrous *et al*). 641 *P*
tachyarrhythmias, recurrent, temporary transvenous cardioversion for (Lewis *et al*). 612). *P*
tachycardia, automatic diagnosis by new methods of electrogram analysis (Davis *et al*). 641 *P*
improved survival with amiodarone: correspondence (Crick: McKenna). 550
low energy endocardial countershock for treatment (Nathan *et al*). 615 *P*
Waterston shunt, chylopericardium a rare complication: case report (Hamilton *et al*). 548
Withering, William
An account of the Foxglove, Historical address given at Edgbaston Parish Church, Birmingham (Whitfield). 253
bicentennial celebrations 251
and the foxglove: the making of a myth (Krikler). 256
Williams-Beuren syndrome and associated cardiac anomalies, clinical and echocardiographic study (Balaram *et al*). 652 *P*
Wolff-Parkinson-White syndrome, effect of exercise on ventricular response to atrial fibrillation (Crick *et al*). 80

Xamoterol (ICI 118587), effect on left ventricular dysfunction (Molajo & Bennett). 17